

OVERDIMENSIONAL VEHICLE POLICY

Phone 701-241-1545

Fax 701-241-8101

Email ODVpermits@cityoffargo.com

www.fargotruckroutes.com

2017 Revision 3-14-17

Policy Effective: 1-1-2017

City of Fargo Overdimensional Vehicle Policy

Table of Contents

		<u>Page</u>
I.	Overdimensional Vehicles A. Legal Width B. Legal Height C. Legal Length D. Legal Weight Limitations Gross Vehicle Weight Axle Weights Wheel & Tire Weight Road Damage Factors Bridge Length Axle Weight Limitation Chart Axle Weights, Tire Size Chart, & Minimum tire tread d	12-62344
II.	Road Restriction Reduction in Weights (Spring Load Restrictions)	7-9
III.	Permits for Oversize and Overweight Vehicles A. Permit Requirements General Travel Restrictions General Safety Requirements Official Escort Requirements General Size Limitations General Conditions for All Overweight Movements North Dakota State, Cass County, West Fargo Requirements Additional Conditions for All Overweight Movements Self-propelled Earth Moving Equipment Liability of Permittee Special Mobile Equipment	10-11 11-12 12 13 13-16 Permit 16-17 17-18 18
	B. Application Procedure Permit Application Procedure. Urgent Unanticipated Movement Policy Permit Fees. How to Apply for a Permit Application. On-site Weight Verification Service. Repair/Service Policy. Unloading/Street crossing Policy. Definitions of Loads Permit Cancelation Policy. Emergency & After Hour Movements.	20-23 21 21 21 21 22 22 22
I\/	Pilot Car Policy	24-25

V.	10% Wintertime Weight Exemption Permit Police	cy26-27
VI.	Monthly Overdimensional Permit Policy	28-29
VII.	Yearly Overwidth Permit Policy	30
VIII.	Snow Removal Permit Policy	31-32
IX.	Manufactured Housing Movement Policy	33
Χ.	Wind Tower Overdimensional Loads	34-35
XI.	Bridge Length Permit Policy	36-38
XII.	Implements of Husbandry	39-40
XIII.	Government Entity Snow Removal Overdimens	sional Policy41
XIV.	Government Entity Overdimensional Policy	42
XV.	Extraordinary Road Use Fee Schedule	43
XVI.	Overweight Permit Fee Schedule	44-53
XVII.	City of Fargo Truck Related Municipal Codes	Future Addition
Truck	Route MapCopy	of map available on website
	f Fargo Overdimensional Policy Developed : 199 limensional Policy Revised : 1997, 1998, 1999, 2	
	f Fargo Overdimensional Contact Informatio	
•	f Fargo Permits	701-241-1545
•	f Fargo Permit Fax Line	701-241-8101
	f Fargo Truck Regulatory Officer Cell Phone	701-730-8668
Websi	ite access	www.fargotruckroutes.com
Office	Hours (Page 17)	

Office Hours (Page 17)
Monday thru Friday 7:45 am to 4:30 pm (CST)
Closed Weekends and Some Holidays

Miscellaneous Contact Numbers

Fargo House and Building Movements	701-241-1561
City of West Fargo Permits	701-433-5400
Cass County Permits	701-298-2370
ND DOT Permits	701-328-2621

I. OVERDIMENSIONAL VEHICLE POLICY

- A. Legal Width = 8'6". Vehicles operated on the streets of Fargo may not exceed a total outside width, including load thereon, of eight feet six inches (8'6").
 - 1. Exceptions.
 - a. Construction and building contractors' equipment and vehicles used to move such equipment which does not exceed **10' in width** when being moved by contractors or resident carriers.
 - b. Implements of husbandry being moved by farmers, ranchers, dealers, or manufacturers between sunrise and sunset. Night time travel is allowed provided the implements of husbandry are properly lighted. Implements of husbandry may be moved in accordance with Part XII hereof.
- B. **Legal Height = 14'**. <u>Vehicles operated on the streets of Fargo may not exceed a height of fourteen feet (14'), whether loaded or unloaded.</u>
 - Legal height is 14' unless routes of travel include structures such as bridges and underpasses that are less than 14' in height. The permittee is responsible for verifying adequate clearance of all structures prior to moving any vehicle or equipment under any bridge or underpass.
 - 2. Exception.

Implements of husbandry may not exceed 15'6" in height when being moved by farmers, ranchers, dealers, or manufacturers and moved in accordance with Part XII hereof.

C. Legal Length

- 1. A single unit vehicle with two or more axles, including the load thereon, shall not exceed a length of 50'.
- 2. A combination of two, three, or four units, including the load thereon, shall not exceed a length of 75' on non-designated streets. Three and four unit combinations are subject to safety rules adopted by the Highway Commissioner. All streets are non-designated streets in the City of Fargo, except the designated streets listed on the Truck Route Map. (Appendix A).

Companies not located adjacent to these designated streets will be allowed to use the most direct route from their company to access the designated streets.

3. A combination of two, three, or four units, including the load thereon, may exceed 75' in length but shall not exceed 110' in length when traveling on designated streets.

- 1 - Revised 3-14-17

- 4. The length of a trailer or semi-trailer, including the load thereon, may not exceed 53', except that trailers and semitrailers titled and registered in North Dakota before July 1, 1987, and towed vehicles may not exceed a length of 60'.
- 5. Towing converter dollies.
 - a. Converter dollies that are used to convert semi-trailers to trailers are considered trailers if they meet all lighting requirements and are equipped with brakes and safety chains.
 - b. No more than one converter dolly can be towed behind a truck-tractor, semi-trailer, and trailer; and no more than two converter dollies can be towed behind a truck-tractor and semi-trailer.

D. Legal Weight Limitations

Bridge Length Formula Calculation W = 500(N-1+12N+36)

W = Maximum weight in pounds on any group of two or more axles L = Distance in feet between extremes of any group of two or more consecutive axles N = Number of axles in group under consideration

<u>Non-Restricted Truck Route Roads</u> = 105,500 pounds maximum gross vehicle weight

<u>Restricted Truck Route Roads</u> = 105,500 pounds maximum gross vehicle weight, except during spring weight restrictions

<u>Class A and Class 1 Roads</u> = 80,000 pounds maximum gross vehicle weight

- Gross Vehicle Weight on the Truck Route System (See Appendix A)
 - a. Non-Restricted truck routes are the routes marked in "Red" on the truck route map. These routes have the same weight restriction year round.
 - b. Restricted truck routes are the routes marked in "Blue" on the truck route map. These truck routes have road restriction reduction in weights during spring load restrictions.
 - c. The maximum gross vehicle weight on City Truck Routes is 105,500 pounds unless otherwise posted. On all other streets the maximum gross vehicle weight is 80,000 pounds unless otherwise designated. All maximum gross vehicle weights are subject to the Bridge Length Formula. Maximum gross vehicle weight is either the maximum allowed as per designation of the roadway or the bridge length formula calculation, whichever is the least amount of weight allowed.

- 2 - Revised 3-14-17

2. Axle Weight (See Part XVI)

- a. Axles spaced 40" or less apart are considered one axle. Axles spaced 8' apart or over are considered as individual axles. Spacing between axles shall be measured from axle center to axle center.
- b. Axles spaced over 40" apart and less than 8' apart are considered to be an axle grouping.
- c. During spring load restrictions or on non-truck route streets, weights may be reduced. Axle weights may also be reduced by tire size or the bridge length axle limitations chart.

d. Legal Axle Weights (Also see Part XVI)

1) Legal Single Axle Weight

Non-Restricted Truck Route = 20,000 pounds Class A Route = 18,000 pounds Class 1 Route = 15,000 pounds

2) Legal Tandem Axle Weight

Non-Restricted Truck Route = 34,000 pounds Class A Route = 32,000 pounds Class 1 Route = 30,000 pounds

3) Legal Weight for 3 or More Axles in a Grouping

Non-Restricted Truck Route = 48,000 pounds Class A Route = 42,000 pounds Class 1 Route = 36,000 pounds

All Legal axle weights are subject to the Bridge Length Formula. Legal axle weight is either the maximum allowed as per designation of the roadway, tire allowance, or the bridge length formula calculation, whichever is the least amount of weight allowed.

Axle weights can never exceed the Manufacturer's "Axle Weight Rating" even with an Overdimensional Permit.

- 3 - Revised 3-14-17

3. Wheel Weight

The weight in pounds on any one wheel shall not exceed one-half the allowable axle weight. Dual tires are considered one wheel.

4. Tire Weight

The weight per inch width of tire shall not exceed 600 pounds on a non-divisible load single steering axle and 550 pounds on all other axles, or the Manufacturer's max rated load (max tire load ratings can never be exceeded, even with an Overdimensional Permit), whichever is less. The width of tire for solid tires shall be the rim width. The width of pneumatic tires shall be the manufacturer's width. Metric tire sizes are converted to inches by dividing millimeters by 25.4.

5. Road Damage Factors

- a. On a Class A road, a single axle 20% overload (3600 pounds) does over two times the damage as a legally loaded 18,000 pound single axle.
- b. On a Truck Route, a tandem axle 20% overload (6800 pounds) causes 2.25 times the damage as a legal tandem load of 34,000 pounds.
- c. During spring load restrictions damage factors increase by 5 times and road rutting is increase by 4 times the amount compared to normal conditions.
- d. It doesn't take twice the weight to do twice the damage. Keep your axle weights legal and protect our roads from damage.

- 4 - Revised 3-14-17

W = Maximum weight in pounds on any group of two or more axles

L = Distance in feet between extremes of any group of two or more consecutive axles

LN W = 500(N-1 +12N+36)

73

74

75 76

77

78

79

80

81

82

83

84

85

86

N = Number of axles in group under consideration Distance in feet between MAXIMUM LOAD IN POUNDS CARRIED ON ANY GROUP OF 2 OR MORE CONSECUTIVE AXLES The extremes of any groups of 2 or more consecutive Axles 5 Axles 6 Axles 9 Axles 2 Axles 3 Axles 4 Axles 7 Axles 8 Axles 4 34,000 34,000 5 34,000 6 34,000 34,000 8 38,000 42,000 9 39,000 43,000 10 40.000 43.500 11 44,500 50.000 12 45.000 46 000 50.500 13 46,500 51,500 57.000 14 15 47,500 52,000 57,500 16 48,000 52,500 58,000 17 49,000 53,500 58,500 49,500 54,000 18 59,500 19 50,500 54,500 60,000 20 51,000 55,500 60,500 66,000 21 52,000 56,000 61,000 66,500 22 56,500 57.500 52,500 62,000 67.000 53.500 23 62 500 68,000 24 54,000 58,000 63,000 68,500 74,000 25 55,000 69,000 74,500 58.500 63.500 26 59,500 64,500 75,000 55.500 69.500 27 80,000 56,500 60,000 65,000 70,000 76,000 28 57,000 60,500 65,500 71,000 76,500 82,000 29 58,000 61,500 66,000 71,500 77,000 82,500 30 58.500 62.000 67.000 72.000 77.500 83.000 31 59,500 62,500 67,500 72,500 78,000 84,000 80,000 32 60,000* 63,500 68,000 73,000 78,500 84,500 90,000 33 34 64,000 64,500 68.500 74,000 74,500 79,500 80,000 85.000 90.500 85,500 69.500 91,000 35 65,500 70,000 75,000 80,500 86,000 91,500 36 Two consecutive sets of tandem axles may 66.000 70,500 75,500 81.000 86.500 92,500 37 carry a gross load of 34,000 pounds each 66,500 71,000 76,000 81,500 87,000 93,000 38 provided the overall distance between the first 67,500 72,000 77,000 82,000 87,500 93,500 39 and last axles of such consecutive sets of 68,000 72,500 77,500 83,000 88,500 94,000 40 tandem axles is 36 feet or more 68,500 73.000 78.000 83,500 89,000 94,500 41 69,500 73,500 78,500 84,000 89,500 95,000 42 70,000 74,500 79,000 84,500 90,000 95,500 70,500 43 75,000 80,000 85,000 90,500 96,000 44 71,500 91,000 75.500 85.500 97.000 80.500 45 91,500 72,000 76,000 81,000 86,500 97,500 46 72,500 87,000 98.000 77,000 81.500 92,500 47 73,500 77,500 87,500 82,000 93,000 98,500 48 74,000 78,000 83,000 88,000 93,500 99,000 49 74,500 78,500 83,500 88,500 94,000 99,500 50 75,500 79,500 84,000 89,000 94,500 100,000 51 76,000 80,000 84,500 90,000 95,000 100,500 52 76,500 80,500 85,000 90,500 95,500 101,500 81,000 102,000 53 77,500 86.000 91,000 96.500 54 78,000 91.500 102.500 82.000 86.500 97.000 55 78,500 82,500 87,000 97,500 103,000 92,000 56 83 000 87 500 92 500 98 000 103 500 79 500 80,000* 57 Gross weight limit on residential streets 83,500 88,000 93,500 98,500 104,000 58 84,500 89,000 94,000 99,000 104,500 59 85,000 89,500 94,500 99,500 105,000 60 85,500 90,000 95,000 100,500 105,500* 86,000 90,500 95,500 101,000 61 62 87,000 91,000 96,000 101,500 63 87.500 92,000 97,000 102,000 88 000 92 500 64 97.500 102.500 103,000 65 93.000 98.000 88.500 66 89 500 93.500 98 500 103.500 67 90,000 94,000 99,000 104,500 68 90,500 95,000 99,500 105,000 91,000 100,500 105,500 69 95,500 70 92,000 96,000 101,000 71 92,500 96,500 101,500 72 93,000 97,000 102,000

93.500

94 500

95.000

95 500

96,000

97,000

97,500

98,000

98,500

99.500

100.0003

98.000

98 500

99.000

99 500

100,000

101,000

101,500

102,000

102,500

103,000

104,000

104 500

105.000

105,500

102.500

103 000

104.000

104 500

105,000

105,500

*Maximum Gross Weight

CITY OF FARGO NON-RESTRICTED TRUCK ROUTE AXLE WEIGHT LIMITATIONS

Axles spaced 40" or less apart are considered one axle. Axles spaced 8' apart or over are considered as individual axles. The gross weight of two individual axles may be restricted by the weight formula except on non-restricted truck routes. Spacing between axles shall be measured from axle center to axle center.

The weight per inch width of tire shall not exceed 600 pounds on a non-divisible load single steering axle and 550 pounds on all other axles. Metric tire sizes are converted to inches by dividing millimeters by 25.4. The width of tire for solid tires shall be the rim width. For pneumatic tires the width of tire shall be the manufacturer's width. The weight in pounds on any one wheel shall not exceed one-half the allowable axle weight. Dual tires are considered one wheel. All axle weights may be further restricted by the Bridge Length Formula, legal weight is the least amount of pounds allowed by either the chart or the Bridge Length Formula.

Tire Width	Single Steering Axle Non-divisible (2 Tires)	Single Axle (2 Tires)	Single Axle (4 Tires)	Tandem Axle (4 Tires)	Tandem Axle (8 Tires)	Triple Axle (6 Tires)
7:00	8,400	7,700	15,400	15,400	30,800	23,100
7:50	9,000	8,250	16,500	16,500	33,000	24,750
8:00	9,600	8,800	17,600	17,600	34,000	26,400
8:25	9,900	9,075	18,150	18,150	34,000	27,225
9:00	10,800	9,900	19,800	19,800	34,000	29,700
10:00	12,000	11,000	20,000	22,000	34,000	33,000
11:00	13,200	12,100	20,000	24,200	34,000	
12:00	14,400	13,200	20,000	26,400	34,000	
13:00	15,600	14,300	20,000	28,600	34,000	
14:00	16,800	15,400	20,000	30,800	34,000	
15:00	18,000	16,500	20,000	33,000	34,000	
16:50	19,800	18,150	20,000	34,000	34,000	
17:50	20,000	19,250	20,000	34,000	34,000	•
18:00	20,000	19,800	20,000	34,000	34,000	

NOTE: Axle weights may be reduced during the spring breakup season or on otherwise posted streets.

Metric Tire Conversion						
Metric Tire Size	Tire Width in Inches	Metric Tire Size	Tire Width in Inches			
245/75R22.5	9.6 inches	315/75R22.5	12.4 inches			
255/70R22.5	10.0 inches	385/65R22.5	15.2 inches			
265/75R22.5	10.4 inches	425/65R22.5	16.7 inches			
275/80R22.5	10.8 inches	445/65R22.5	17.5 inches			
285/75R24.5	11.2 inches	465/65R22.5	18.3 inches			

Tire Size and Dimensional Definitions

13/80 R20

13 = Tire Width (inches)

80 = Percent of tire width in comparison to height (not used as part of width)

R = Radial

20 = Rim Diameter (inches)

Tire Size and Dimensional Definitions

13.8 R 20

13.8 = Tire Width (inches)

R = Radial

20 = Rim Diameter (inches)

Minimum Tire Tread Depth Required for all Overdimensional Loads

- a. 2/32 minimum tread depth on pusher tires
- b. 4/32 minimum tread depth on steering tires

- 6 - Revised 3-14-17

II. ROAD RESTRICTION REDUCTION IN WEIGHTS

PURPOSE:

To establish guidelines as to what gross axle weights and gross vehicle weights will be enforced during the spring of the year when streets break up due to frost leaving the ground ("Spring load restrictions") or any other time of the year when the street section is insufficient to handle the weights.

POLICY STATEMENT:

As authorized by section 8-0924 of the City of Fargo Municipal Code, the City of Fargo will reduce allowable weights on streets under its jurisdiction that may be seriously damaged or destroyed by reason of deterioration, rain, snow, or other climatic conditions. Permits may not be issued for movements during spring load restrictions if the load could possibly damage the roadway. City of Fargo may limit the amount of weight on any permitted load to reduce any possibility of damage to the roadway. During spring load restrictions damage factors increase by 5 times and road rutting is increase by 4 times the amount compared to normal conditions.

PROCEDURE:

A. Listed below are the restricted road classifications, restricted gross axle weights, and restricted gross vehicle weight limits on City streets. Weight limits may vary.

Class	Single Axle	Tandem Axle	3 or More Axle Groupings	Gross Vehicle Weight	
Non- Restricted Truck Route	20,000 lbs	34,000 lbs	16,000 lbs per axle not to exceed 48,000 lbs gross weight on divisible loads	105,500 lbs or the Bridge Length Formula if it is less	
Class A	18,000 lbs	32,000 lbs	14,000 lbs per axle not to exceed 42,000 lbs gross weight on divisible loads	80,000 lbs or the Bridge Length Formula if it is less	
Class 1	15,000 lbs	30,000 lbs	12,000 lbs per axle not to exceed 36,000 lbs gross weight on divisible loads	80,000 lbs or the Bridge Length Formula if it is less	
Class 3	Cars and Trucks under 5-TON GVW only				

- B. A fee shall be added to all overweight permits issued on restricted streets as outlined in the overweight fee schedule, Section XVI and the Road Restriction Excessive Axle Weight Fee Schedule, Section II.F.
- C. During Spring Weight Restrictions, restricted truck routes will be posted either a Class A or Class 1 restriction, depending on the road condition.

- 7 - Revised 3-14-17

- D. Earthmoving Equipment and Fixed Vehicles
 - 1. Earthmoving equipment, self-propelled or towed, that exceed legal and/or restricted axle weight limits shall not be permitted to drive or be towed on bituminous pavement during the period of Spring Load Restrictions.
 - 2. Self-propelled fixed vehicles, such as rough terrain cranes, that exceed 650 pounds per inch width of tire and/or 30,000 pounds per axle shall not be permitted to drive on bituminous pavement during the period of Spring Load Restrictions.
- E. Maximum Axle Weights that engineering can approve with an Overdimensional Permit if deemed necessary for non-divisible load movement during spring load restrictions. The following axle weights are based on four tires per axle.

Class	Single Axle	Tandem Axle	Triple Axle	Quad Axle	Five Axle
Non- Restricted Truck Route	26,540 #	42,120 #	54,600 #	57,960 #	72,454 #
Class A	23,900 #	39,700 #	47,800 #	54,000 #	67,620 #
Class 1	19,900 #	37,200 #	40,970 #	46,368 #	57,960 #

- 1. The City of Fargo may approve weights that exceed the above chart Section II. E, if good cause is shown that more axles cannot be added and weights have been reduced as much as possible for the movement of non-divisible vehicles or loads that exceed the maximum permittable axle weights during Spring Load Restrictions.
- 2. Axle weight fees shall be charged according to the "Road Restriction Excess Axle Weight Fee Schedule" in Section II. F.
- 3. Section III.B.6, "Repair/Service Policy for Overweight Loads" wavier of overweight fees shall be void when exceeding the axle weight limitations in the above chart Section II.E. during Spring Load Restrictions.
- 4. Section III.A.7.b, "ND State, Cass County, West Fargo Permits" honoring ND State, Cass County, and West Fargo Permits shall be void when exceeding the axle weight limitations in the above chart Section II.E. during Spring Load Restrictions.
- 5. The maximum axle weight that may be permitted in excess of Section II.E. if deemed necessary by the City of Fargo shall follow Section XVI.
- 6. Section X "Wind Tower Overdimensional Loads" honoring ND State Permits shall be void when exceeding the axle weight limitations in the above chart Section II.E. during Spring Load Restrictions.

F. ROAD RESTRICTION EXCESSIVE AXLE WEIGHT FEE SCHEDULE

Any vehicle in excess of the maximum permittable axle weight limitations according to the chart in Section II.E. shall be charged a fee according to the road restriction excessive axle weight fee schedule below.

POUNDS OVER AXLE GROUPING	
WEIGHT LISTED IN SECTION II.E.	OVERWEIGHT FEE

1-1,000 \$20.00 1,001-2,000 \$40.00 2,000-3,000 \$60.00 3,001-4,000 \$140.00 4,001-5,000 \$220.00 5,001-6,000 \$305.00 6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	EIGHT LISTED IN SECTION II.E.	OVERWEIGHT FEE
2,000-3,000 \$60.00 3,001-4,000 \$140.00 4,001-5,000 \$220.00 5,001-6,000 \$305.00 6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	1-1,000	\$20.00
3,001-4,000 \$140.00 4,001-5,000 \$220.00 5,001-6,000 \$305.00 6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	1,001-2,000	\$40.00
4,001-5,000 \$220.00 5,001-6,000 \$305.00 6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	2,000-3,000	\$60.00
5,001-6,000 \$305.00 6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	3,001-4,000	\$140.00
6,001-7,000 \$380.00 7,001-8,000 \$495.00 8,001-9,000 \$575.00	4,001-5,000	\$220.00
7,001-8,000 \$495.00 8,001-9,000 \$575.00	5,001-6,000	\$305.00
8,001-9,000 \$575.00	6,001-7,000	\$380.00
· · · · · · · · · · · · · · · · · · ·	7,001-8,000	\$495.00
0.004.40.000	8,001-9,000	\$575.00
9,001-10,000 \$655.00	9,001-10,000	\$655.00
10,001-11,000 \$1,100.00	10,001-11,000	\$1,100.00
11,001-12,000 \$1,200.00	11,001-12,000	\$1,200.00
12,001-13,000 \$1,300.00	12,001-13,000	\$1,300.00
13,001-14,000 \$1,680.00	13,001-14,000	\$1,680.00
14,001-15,000 \$1,800.00	14,001-15,000	\$1,800.00
15,001-16,000 \$1,920.00	15,001-16,000	\$1,920.00
16,001-17,000 \$2,550.00	16,001-17,000	\$2,550.00
17,001-18,000 \$2,700.00	17,001-18,000	\$2,700.00
18,001-19,000 \$2,850.00	18,001-19,000	\$2,850.00
19,001-20,000 \$3,000.00	19,001-20,000	\$3,000.00
20,001-21,000 \$4,200.00	20,001-21,000	\$4,200.00
21,001-22,000 \$4,400.00	21,001-22,000	\$4,400.00
22,001-23,000 \$4,600.00	22,001-23,000	\$4,600.00
23,001-24,000 \$4,800.00	23,001-24,000	\$4,800.00
24,001-25,000 \$5,000.00	24,001-25,000	\$5,000.00
25,001-26,000 \$5,200.00	25,001-26,000	\$5,200.00
26,001-27,000 \$5,400.00	26,001-27,000	\$5,400.00
27,001-28,000 \$5,600.00	27,001-28,000	\$5,600.00
28,001-29,000 \$5,800.00	28,001-29,000	\$5,800.00
29,001-30,000 \$6,000.00	29,001-30,000	\$6,000.00

An additional fee of \$200.00 for every 1,000 pound increase over 30,000 pounds consistent with the formula above.

- 9 - Revised 3-14-17

III. PERMITS FOR OVERDIMENSIONAL VEHICLES

PURPOSE:

To establish guidelines when permits will be issued for vehicles or loads exceeding legal size and/or weight for movement on the City streets.

POLICY STATEMENT:

As authorized by section 8-0922 of the City of Fargo Municipal Code, the City will issue single trip permits, when good cause is shown, for the movement of oversize and/or overweight vehicles and loads. The City of Fargo has the authority to reject any application for a movement that could be damaging to the roads or that could create an unsafe condition on the roads. The City of Fargo has the authority to revoke all issued permits and deny subsequent applications, at its discretion, for violations of this policy. Permits may not be issued for movements during spring load restrictions, or any other time of the year that excessive rain or heat could increase the possibility of road damage.

PROCEDURE:

A. Permit Requirements

1. Permits shall be submitted to the City of Fargo Engineering Department 24 hours prior to the date of movement listed on the permit. A permit that has been signed by a Permit Issuing Official must be obtained prior to entering the City of Fargo right of way. A legible signed electronic or paper copy of the Overdimensional Permit must be carried in the vehicle, to which it refers prior to entering the City of Fargo right of way, and shall be presented for inspection by any peace officer or authorized employee of the City of Fargo that issues Overdimensional Permits. Permits shall designate the route to be traveled and may contain such other restrictions as deemed necessary by the City of Fargo. The City has the authority to revoke a permit if the holder violates or abuses the privilege or conditions of the permit, or provides any false information on the permit form. The permittee is responsible for the accuracy on the permit form. Any violation, abuse, or false information voids the permit, subjecting the load or movement to an Extraordinary Road Use Fee that will be assessed at the legal gross vehicle weight of the traveled roadway, the legal axle weight, or the tire width allowance, whichever is the greater violation.

2. General Travel Restrictions

a. Overdimensional Permits shall not be valid for movements between sunset and sunrise, unless approved by the City of Fargo, if special approval has been granted to move between sunset and sunrise it must be documented on the permit and section III.3b.1&2 shall apply to the movement.

- 10 - Revised 3-14-17

- b. Overdimensional Permits for widths that are 14' or wider or lengths exceeding 119.99', or heights exceeding 15'6" will not be valid authorizing movements between the hours of 7:15am to 8:15am, 11:45am to 1:00pm, and 4:30pm-5:45pm. The City may grant a special exemption to move during these times, if it is determined to be necessary and if it is approved and noted on the permit.
- c. Overdimensional Permits will not be valid when inclement weather exists, visibility is poor, the roadway is slippery, or if any adverse road conditions exist. Contact the City of Fargo if any of the above are in question and the City will determine if travel is allowed based on our assessment of street and weather conditions.
- d. Overdimensional Permits do not authorize travel or parking on shoulders of the roadway.
- e. Overdimensional Permits are not valid for parking or standing on any roadway.
- f. Overdimensional Permits apply to movement of one vehicle or one vehicle combination only.
- g. All permits require a minimum distance that is reasonable, prudent and safe between vehicles in a convoy of two or more vehicles.
- h. Single trip permits shall be valid for a <u>one-way load movement</u> made within a <u>three day period</u> listed on the permit. When a piece of equipment is unloaded at a project site and then reloaded to go to the next destination, a new permit must be obtained.

3. General Safety Requirements

- a. All overdimensional vehicles and loads shall have minimum 18" x 18" red or bright orange flags displayed on the traffic side front and rear.
- b. If approval has been granted to move equipment between sunset and sunrise vehicles must be equipped with the society of automotive engineers-approved class 1 lights and reflectors, in addition to those required in the North Dakota Century Code Chapter 39-21 and Code of Federal Regulations, Title 49, Part 393.
 - 1. Clearance lights and clearance reflectors must be visible from the front, rear, and side, marking the outermost portion of the vehicle and load which extends beyond 8 feet 6 inches.
 - One rotating or two flashing amber lights shall be mounted above the cab and visible from the front and rear for a distance not less than five hundred feet under clear atmospheric conditions at night. If lights on the cab are not visible to the rear, additional flashing amber lights are required at the rear.

- 11 - Revised 3-14-17

- c. When the overall length of an overdimensional movement exceeds 75 feet length and/or 8 feet 6 inches in width, there shall be at least an 18" x 60" OVERSIZE LOAD sign on the front and rear. The lettering shall be black on yellow background. Letters shall be at least 8" high with 1" brush stroke. When the movement is over length only, exceeding 75' in overall length, a LONG LOAD sign that is a minimum 12" x 60" may be used instead of the OVERSIZE LOAD sign. The lettering shall be black on yellow background. The letters shall be at least 8" high with 1" brush stroke. The sign shall be covered or removed when the movement is not overdimensional.
- d. All motor vehicles, when transporting loads, must be loaded and secured to prevent the shifting or falling of the load. Loads such as a hydraulic backhoe or crane must be secured to prevent the accidental lifting of the bucket or boom. All loads shall be secured according to Federal Motor Carrier Safety Administration Regulations.
- e. Towing vehicle must have two mirrors to reflect a rear view of 200 feet to the driver.
- f. When the load extends beyond the bed or body of the vehicle or trailer to the rear by 4 feet or more, the overhang shall be marked at the extreme end of the load with a 12" x 12" red flag during the day and a red clearance light during the night, if approved to be moved at night and shall be visible at a distance of 500 feet.
- g. All commercial oversize vehicles must be equipped in accordance with the requirements and specifications of the Federal Motor Carrier Safety Regulations 49 CFR Parts 393 and 396.

4. Official Escort Requirements

- a. The City of Fargo may require any overdimensional or overweight load to have an Official Police Escort depending on the size of the load and the route traveled. Official Police Escorts can be obtained by contacting the Truck Regulatory Officer at 701-730-8668 or the Fargo Police Department at 701-241-8175 a minimum of 24 hours prior to movement. An additional fee may be required for an escort other than the Truck Regulatory Officer. The fee is set by the Fargo Police Department.
- b. Permit holders are required to have <u>1 pilot car following and an official police escort</u> when the load reaches any one of the dimensions listed below.
 - 1. 16' in width or wider on a single lane road,
 - 2. 20' or wider on multi-lane roads
 - 3. 16' in height or higher on any roadway.

See Section IV for pilot car requirements.

- 12 - Revised 3-14-17

5. **General Size Limitations**

- a. Overdimensional Permits shall not be issued for movements exceeding the vertical clearance under structures. If there is a bypass or exit ramp around structures, permits may be issued directing the movement around the structure. All movements exceeding 18' in height must have written authority from utility companies to travel under overhead wires. Communication cables may be as low as 15'6", traffic signal lights hanging over the roadway may be as low as 16'.
 - 1. The City of Fargo list of bridges with vertical clearances will be referred to when issuing all over height permits and may cause over height movements to be given special route restrictions.
 - 2. It is the permit applicant's responsibility to determine the vertical clearance.
- b. Towed vehicles, such as rock crushers or conveyors, are subject to single trip permits if the length of the towed vehicle exceeds 60'.
- c. If an overwidth trailer or semi-trailer is needed to transport an oversize or overweight load, only one single trip permit will be required for the round trip movement. If an over length, modular type, semi-trailer is needed to transport an overweight load, only one single trip permit will be required for the round trip movement.

6. **General Conditions for all Overweight Movements**

- a. No permit shall be issued for an overweight vehicle unless the vehicle is registered for the gross weight which the vehicle can legally carry without a permit, nor issued for loads that can be reasonably made to conform to legal limits. Overdimensional Permits will be issued for hauling one piece of equipment only. A dozer with blade attached is considered one piece. If the blade is detached, it cannot be hauled on the same load.
- b. Overdimensional movements must satisfy the requirements of Federal Motor Carrier Safety Regulations 49 CFR Part 393.
- c. The rate of speed shall not exceed 25 mph if any axle grouping gross weight exceeds legal weight limits by more than 5,000 pounds, or if the gross vehicle weight is more than 120,000 pounds. Overweight loads must cross bridges/structures in the center lane at a rate of speed not to exceed 15 MPH.
- d. Vehicles manufactured after July 31, 2005, and with more than one variable load, suspension or lift axles shall have the lock or pressure regulator valve or both located outside the cab and inaccessible from the driver's compartment.
- e. Overweight permits are not valid for movement on flexible bituminous pavements when the atmospheric temperature is 85° F or above.
 - Overweight loads that meet all tire and bridge length formula calculations for axle groupings may be granted an exception to move on asphalt if approved and noted on the Overdimensional Permit.

- 13 - Revised 3-14-17

- f. The hauling of loads that exceed the legal limits is a privilege granted where the property hauled or moved cannot be stripped down. If the weight as allowed by the permit is in fact more than the weight of the property for which the permit is issued, no additional property can be loaded. The weight must be as little over the legal limits as stripping will allow.
- g. Misrepresentation by the applicant or his agent or any false information listed on the permit form makes the permit void.
- h. Vehicles/trailers and/or combinations or equipment thereof found carrying greater axle or gross weights as shown on the permit form shall be subject to extraordinary road use fees as stated in the City of Fargo Overdimensional Policy and/or Fargo Municipal Code.
- i. Any false information or using any roads not listed under "Via Streets" on the permit form or violating any conditions or requirements of the City of Fargo Overdimensional Policy shall subject the load or equipment being moved to extraordinary road use fees as stated in the City of Fargo Overdimensional Policy.
- j. The traffic sides of all oversize vehicles shall be marked plainly with red flags so that the clearance width and vehicle length are readily determinable to drivers of other vehicles. Such flags shall be a minimum 18" x 18".
- k. Vehicles of excessive width, while moving where it is difficult or hazardous for other vehicles to pass, shall provide flag persons 700 to 1500 feet ahead and to the rear, and as many other flag persons as are required to direct traffic safely. Mover must always allow traffic to pass at each crossroad or wherever a hazard develops.
- I. No movement of vehicles or equipment equipped with steel tires, cleats, blocks, studs, flanges or spikes within the City right of way on the roadway even if it is covered in snow or ice.
- m. Permittees are responsible for verifying vertical clearance of all structures on route before starting movement. During spring break up watch for roadway heaving under structures. During winter conditions snow and ice buildup can reduce the clearance height of underpasses and structures.
- n. The permit applicant agrees to comply with all highway regulations, the City of Fargo Overdimensional Vehicle Policy, to take all reasonable safety precautions and to be completely responsible for all personal and property damages what so ever. Applicant further agrees to repair at his/her expense, and to the satisfactory of the City of Fargo, all damages to streets or structures resulting from movement of the overdimensional load or equipment; such repair to be done in such manner as the City of Fargo may elect. All overdimensional loads shall maintain the vehicle within the marked driving lane and shall be responsible for the safety of the traveling public and all public infrastructure.

- 14 - Revised 3-14-17

- o. Axle weight limitations for vehicles and vehicle combinations, e.g. truck, trucktractor and semi-trailer transporting a load or towaway, are subject to the following maximum permittable axle weights with an Overdimensional Permit:
 - 1. 600 pounds per inch of tire width is allowed on the steering axle when:
 - a. The axle rating is greater than 20,000 pounds
 - 2. Single and tandem axle weights may not exceed 600 pounds per inch width of tire. A group of three or more axles may not exceed 550 pounds per inch width of tire. Metric tire sizes are converted to inches by dividing millimeters by 25.4.

Tire Size	Single Axle 2 Tires	Single Axle 4 Tires	Tandem Axle 4 Tires	Tandem Axle 8 Tires	Triple Axle 12 Tires	Quad Axle 16 Tires
8.2	9,840 #	19,680 #	19,680 #	39,360 #	54,120 #	*68,000 #
9	10,800 #	21,600 #	21,600 #	43,200 #	59,400 #	*68,000 #
10	12,000 #	*24,000 #	24,000 #	*45,000 #	*60,000 #	*68,000 #
11	13,200 #	*24,000 #	26,400 #	*45,000 #	*60,000 #	*68,000 #
285m(11.2)	13,440 #	*24,000 #	26,880 #	*45,000 #	*60,000 #	*68,000 #
295m(11.6)	13,290 #	*24,000 #	27,840 #	*45,000 #	*60,000 #	*68,000 #
12	14,400 #	*24,000 #	28,800 #	*45,000 #	*60,000 #	*68,000 #
315m(12.4)	14,880 #	*24,000 #	29,760 #	*45,000 #	*60,000 #	*68,000 #
13	15,600 #	*24,000 #	31,200 #	*45,000 #	*60,000 #	*68,000 #
14	16,800 #	*24,000 #	33,600 #	*45,000 #	*60,000 #	*68,000 #
365m(14.3)	17,160 #	*24,000 #	34,320 #	*45,000 #	*60,000 #	*68,000 #
15	18,000 #	*24,000 #	36,000 #	*45,000 #	*60,000 #	*68,000 #
385m(15.1)	18,120 #	*24,000 #	36,240 #	*45,000 #	*60,000 #	*68,000 #
16.5	19,800 #	*24,000 #	39,600 #	*45,000 #	*60,000 #	*68,000 #
425m(16.7)	20,040 #	*24,000 #	40,080 #	*45,000 #	*60,000 #	*68,000 #
17.5	21,000 #	*24,000 #	42,000 #	*45,000 #	*60,000 #	*68,000 #
18	21,600 #	*24,000 #	43,200 #	*45,000 #	*60,000 #	*68,000 #
20.5	*24,000 #	*24,000 #	*45,000 #	*45,000 #	*60,000 #	*68,000 #

^{*}Maximums includes all tolerances

- 3. For all axle groupings of four axles or more, no axle shall exceed 19,000 pounds per axle.
 - a. On a group of four axles, the gross weight shall not exceed 68,000 pounds; on a group of five axles, the gross weight shall not exceed 85,000 pounds; and on a group of six axles, the gross weight shall not exceed 102,000 pounds.
- p. Axle weight limitations for self-propelled equipment mounted on a truck-type chassis.
 - The following are the maximum permittable axle weights for fixed load equipment mounted on truck-type chassis such as truck cranes. Single and tandem axle weights may not exceed 650 pounds per inch width of tire; groupings with three or more axles may not exceed 550 pounds per inch width of tire. Metric tire sizes are converted to inches by dividing millimeters by 25.4.

- 15 - Revised 3-14-17

Tire Size	Single	Single	Tandem	Tandem	Triple	Triple	Quad	Quad
	Axle 2 Tires	Axle 4 Tires	Axle 4 Tires	Axle 8 Tires	Axle 6 Tires	Axle 12 Tires	Axle 8 Tires	Axle 16 Tires
8.2	10,660 #	21,320 #	21,320 #	42,640 #	27,060 #	54,120 #	36,080 #	*68,000 #
9	11,700 #	23,400 #	23,400 #	46,800 #	29,700 #	59,400 #	39,600 #	*68,000 #
10	13,000 #	26,000 #	26,000 #	*50,000 #	33,000 #	*60,000 #	44,000 #	*68,000 #
11	14,300 #	28,600 #	28,600 #	*50,000 #	36,300 #	*60,000 #	48,400 #	*68,000 #
285m(11.2)	14,560 #	29,120 #	29,120 #	*50,000 #	36,960 #	*60,000 #	49,280 #	*68,000 #
295m(11.6)	15,080 #	*30,000 #	30,160 #	*50,000 #	38,280 #	*60,000 #	51,040 #	*68,000 #
12	15,600 #	*30,000 #	31,200 #	*50,000 #	39,600 #	*60,000 #	52,800 #	*68,000 #
315m(12.4)	16,120 #	*30,000 #	32,240 #	*50,000 #	40,920 #	*60,000 #	54,560 #	*68,000 #
13	16,900 #	*30,000 #	33,800 #	*50,000 #	42,900 #	*60,000 #	57,200 #	*68,000 #
14	18,200 #	*30,000 #	36,400 #	*50,000 #	46,200 #	*60,000 #	61,600 #	*68,000 #
365m(14.3)	18,590 #	*30,000 #	37,180 #	*50,000 #	47,190 #	*60,000 #	62,920 #	*68,000 #
15	19,500 #	*30,000 #	39,000 #	*50,000 #	49,500 #	*60,000 #	66,000 #	*68,000 #
385m(15.1)	19,630 #	*30,000 #	39,260 #	*50,000 #	49,830 #	*60,000 #	66,440 #	*68,000 #
16.5	21,450 #	*30,000 #	42,900 #	*50,000 #	54,450 #	*60,000 #	*68,000 #	*68,000 #
425m(16.7)	21,710 #	*30,000 #	43,420 #	*50,000 #	55,110 #	*60,000 #	*68,000 #	*68,000 #
17.5	22,750 #	*30,000 #	45,500 #	*50,000 #	57,750 #	*60,000 #	*68,000 #	*68,000 #
18	23,400 #	*30,000 #	*46,800 #	*50,000 #	59,400 #	*60,000 #	*68,000 #	*68,000 #
20.5	26,650 #	*30,000 #	*46,800 #	*50,000 #	*60,000 #	*60,000 #	*68,000 #	*68,000 #
23.5	*30,000 #	*30,000 #	*46,800 #	*50,000 #	*60,000#	*60,000 #	*68,000 #	*68,000 #

*Maximums includes all tolerances

- The rear axles of a truck crane and the dollies mounted behind the truck crane are considered one combination. If a boom trailer or boom dolly is towed behind a truck crane, the towed trailer is considered a separate combination if the axles spacing is 8 feet or more behind the truck crane rear axle.
 - a. The gross weight of axles or axle groupings on trailers or dollies pulled behind truck cranes or other fixed load vehicles cannot exceed axles weight limitations.
- 3. For all axles groupings of four axles or more, no axle shall exceed 19,000 pounds per axle.
 - a. On a group of four axles, the gross weight shall not exceed 68,000 pounds; on a group of five axles, the gross weight shall not exceed 85,000 pounds; and on a group of six axles, the gross weight shall not exceed 102,000 pounds.
- 4. Fixed loads such as 4-tired all terrain cranes that exceed 650 pounds per inch width of tire must be moved under the earthmoving equipment conditions

7. North Dakota State, Cass County, West Fargo Permits

- a. ND Highway Patrol Oversized, Cass County, and West Fargo issued permits will be honored on the City truck route system provided the loads are in compliance with the City of Fargo Overdimensional Policy, the load utilizes the services of any truck stop adjacent to the interstate system when leaving the interstate system to enter City limits, and the load stays off the residential street system.
- b. If the load is not utilizing the services of a truck stop adjacent to the interstate system as described in part (a) ND Highway Patrol Oversized issued permits, Cass County, and West Fargo issued permits will be honored on the City truck route system provided the loads are in compliance with the City of Fargo Overdimensional Policy, the load stays off the residential street system, and condition 1 and one of the following conditions 2 through 4 listed below are satisfied.

- 16 - Revised 3-14-17

- 1) A copy of the ND Highway Patrol Oversized Permit, Cass County and West Fargo Permits shall be faxed to the City of Fargo at 701-241-8101, 24 hours prior to the load entering the City of Fargo or moving on City roads. Failure to fax a copy of the issued ND Highway Patrol Oversized Permit, Cass County and West Fargo Permits shall subject the owner and/or operator of the load to all fees, fines, penalties and/or processes contained in the Fargo Municipal Code including the City of Fargo extraordinary road fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code.
- 2) The origin of the load is the owner's primary place of business (i.e. shop/office) and the load has a destination outside the City of Fargo and the load remains on the City Truck Routes.
- 3) The origin and destination of a load is outside the City of Fargo and the load remains on the City Truck Routes. If any axle groupings are equal to or exceed the weights listed below a-e, then a City of Fargo Overdimensional Permit is required. If an axle grouping or single axle has two tires, then check with the City of Fargo to see if a permit is needed based on your tire size. The following axle weights are based upon four tires per axle:
 - a. Single Axle weight 25,000 pounds
 - b. Tandem Axle Weight 42,000 pounds
 - c. Triple Axle Weight 54,000 pounds
 - d. Quad Axle Weight 64,000 pounds
 - e. Five Axle Weight 80,000 pounds
- 4) The origin of the load is outside the City of Fargo and the loads destination is the owner's primary place of business (i.e. shop/office) within the City of Fargo and the load remains on the City Truck Routes.
- c. ND Highway Patrol Oversized Permits, Cass County and West Fargo Permits will not be honored by the City of Fargo if the load requires an Official Police Escort under this policy. The combination of height, width, length, weight, and the route traveled by a load, may require the movement to have a City of Fargo Overdimensional Permit.

8. Additional Conditions for all Overweight Movements

- a. Loads shall be broken down as follows, if requested by the City of Fargo:
 - 1) Blades and rippers must be removed from dozer and hauled separately.
 - 2) All scrapers must be split and hauled separately.
 - 3) Counterweights must be removed from cranes and hauled separately.
 - 4) Counterweights and buckets must be removed from backhoes and hauled separately.
 - 5) Transformers must be drained of oil.

- 17 - Revised 3-14-17

- b. All movements are subject to approval by the City of Fargo and may require a City of Fargo Overdimensional Permit, even if a permit has been obtained from the ND Highway Patrol, Cass County, or from any other State, County, or City.
- 9. Additional conditions for movement of overweight self-propelled earthmoving equipment such as scrapers, rubber-tired dozers, motor graders, and loaders. All equipment with tires that are 26.5 inches wide or greater shall fall into this classification, i.e. self-propelled rough terrain cranes.
 - a. The maximum permissible axle weight when roading earthmoving equipment on the truck route system is 36,000 pounds per axle or 550 pounds per inch width of tire per axle configuration, except as authorized by the City engineers.
 - b. City engineers may authorize permits when the axle weights exceed allowed limits or 550 pounds per inch width of tire per axle configuration, up to a maximum of 52,000 pounds with an overweight charge. (See Part XVI)
 - c. Earth moving equipment is not allowed to be loaded with material when moving. Only one scraper may be towed behind a quad track or tractor.
 - d. Prior to roading self-propelled earthmoving equipment, tires shall be deflated when cold, to 30 pounds pressure when traveling on flexible bituminous pavement. Cold means after the vehicle has been standing for several hours or overnight. Maximum speed for movement is 20 mph and a pilot car is required to follow.
 - e. All restrictions and requirements of this permit policy apply to self-propelled earthmoving equipment movements.

10. Liability of Permittee

- a. The permittee, as a condition for obtaining an overdimensional permit, shall assume all responsibility for accidents, damage, or injury to any persons or damage to public or private property caused by the movement of any overdimensional vehicle or load covered by the permit while on public streets of the City of Fargo.
- b. The permittee agrees to indemnify and hold harmless the City of Fargo, their officers and employees from any and all claims resulting directly or indirectly from the movement of an overdimensional vehicle or load on any public street of the City of Fargo.
- c. The permittee is responsible for the accuracy on the permit form. Any violation, abuse, or false information voids the permit, subjecting the load or movement to an Extraordinary Road Use Fee that will be assessed at the legal gross vehicle weight of the traveled roadway, the legal axle weight, or the tire width allowance, whichever is the greater violation.

- 18 - Revised 3-14-17

11. Special Mobile Equipment

- a. For the purpose of this policy, special mobile equipment shall mean every non-registered, overweight, self-propelled vehicle that is only incidentally operated or moved over a roadway. Permits issued for these types of machines will be valid for multiple movements made within one 24-hour period, or a one-way movement made within a three day period.
- b. Special mobile equipment shall include, but not limited to, the following vehicles:
 - 1) Work over rigs
 - 2) Truck cranes
 - 3) Concrete pump trucks
 - 4) Coil tubing trucks
 - 5) Concrete belt placer

c. Special Mobile Equipment Requirements

- 1) Special mobile equipment is subject to all axle, tire, and gross vehicle weight restrictions. Overweight fees are adjusted and allowed a maximum of 600 pounds on a non-divisible load single steering axle and 550 pounds on all other axles per inch width of tire per axle configuration, up to the maximum allowed by Part XVI. Weights in excess of the tire allowance shall be assessed a \$5 per 1000 pounds of additional weight per axle configuration. Gross vehicle weight shall follow Part XVI overweight fee schedule.
- 2) During spring load restrictions and applications for a monthly permit; all special mobile equipment shall be charged according to the Part XVI overweight fee schedule for all axle configurations and gross vehicle weight. Weights exceeding Section II.E. during spring load restrictions shall be charged according to Section II.F.

- 19 - Revised 3-14-17

B. Application Procedure

1. Single trip permits can be obtained from the City Engineering Department

- a. Permit requests shall be made in person, via mail, or fax and submitted a minimum of 24 hours prior to movement. Office hours are Monday thru Friday 7:45 am to 4:30 pm. Any movement on Weekends must have the permit application faxed in by Friday at 7:45 am. The Engineering Department is closed on the following Holidays:
 New Year's Day, Martin Luther King Jr. Day, President's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Veteran's Day, Christmas. When the holiday falls on a Saturday, the preceding Friday shall be the holiday. When the holiday falls on a Sunday, the following Monday shall be the holiday.
- b. The applicant must read the permit, fill out all information on the permit and sign the permit acknowledging the movement restrictions and requirements, and follow all City of Fargo Overdimensional Policy conditions. A new permit form shall be filled out each time an application is made you will not be allowed to white out and re-fax an old permit that was issued.
- c. Permits shall be approved and signed by the City Engineer or designees and shall be in possession of the driver prior to entering City limits or using any public roadway within the City of Fargo this includes parking, being located on, loading or driving overdimensional equipment on any public road within the City of Fargo right of way.
- d. Information required to obtain permits.
 - 1) Company name and address.
 - 2) Description of power unit: year, make, RGW, license number and state, tire sizes, and number of axles. Any vehicle that is permitted and does not have a license plate number, shall have the VIN number written in the License Box area on the permit form.
 - 3) Description of towed unit: type of unit, make and model, tire sizes, and number of axles. Includes full detailed description of load make model, and VIN/Serial # if the load has one.
 - 4) Overall dimensions of vehicle and load.
 - 5) Axle weights and gross weight of vehicles and load if an overweight permit is requested.
 - 6) Date of travel, point of origin and destination, and desired route to be traveled.
- e. The applicant is responsible for the accuracy on the permit form. Any violation, abuse, or false information voids the permit, subjecting the load or movement to an Extraordinary Road Use Fee that will be assessed at the legal gross vehicle weight of the traveled roadway, the legal axle weight, or the tire width allowance, whichever is the greater violation.

- 20 - Revised 3-14-17

2. Urgent Unanticipated Movements

When an urgent unanticipated situation arises, such as a breakdown of equipment or a water main or sewer service needs immediate repair and a permit form cannot be submitted prior to the 24 hour notification before the movement of an overdimensional load, you may call-in the movement of the load obtaining verbal approval, stating the Name of Company, Description of Load, Origin of Load, Destination of Load, Streets Used, Load Dimensions, Axle Weights and Gross Vehicle Weight. A permit for this load must then be filled out and faxed to the City of Fargo Engineering Department by 9:00 A.M. the morning following the day of the movement or the City of Fargo will treat it as a failure to obtain a permit. The City Engineer or designee will determine what qualifies as an urgent movement, which includes the situations listed below see (6, 10, and 11).

3. **Permit Fees**

- a) \$20 for each single trip permit.
- b) Overweight fees as per the overweight fee schedule. (See Part XVI)
- c) Weights exceeding Section II.E. during spring load restrictions shall be charged according to Section II.F.
- d) Official, publicly-owned, emergency, or military vehicles shall not be required to pay charges for permits. (No fee to commercial hauler doing charity hauling.) Military and commercial haulers doing charity work will still be required to obtain an Overdimensional/Overweight Permit.
- e) \$20 Repair/Service Fee with no overweight charge.
- f) \$50 per 30 day period for each 10% Winter Weight Exemption Permit.
- g) Monthly Permits are the cost of a single trip permit times a factor of 10. The cost for a monthly permit will vary depending on the cost of a single trip permit with the added overweight fees.
- h) \$50 plus overweight fees for each Monthly Snow Removal Permit.
- i) \$150 fee for each Seasonal Snow Removal Permit.
- j) \$500 fee for each Bridge Length Permit.
- k) \$500 fee for each Yearly Overwidth Permit.

4. Permits can be obtained from

City of Fargo Engineering Department 200 N 3rd Street, Fargo ND 58102 Phone Number = 701-241-1545 Fax Number = 701-241-8101 Website access = www.fargotruckroutes.com

5. On-site Weight Verification & Escort Service

Upon request, the City Truck Regulatory enforcement officer will provide escort services and on-site weight verification service prior to entering City streets to ensure the load is in compliance with the City of Fargo Overdimensional Policy. Weight verification and escort service will require a 24 hour notice prior to moving. Movement of the Overdimensional load shall be scheduled when the Truck Regulatory Officer is available.

- 21 - Revised 3-14-17

6. Repair/Service Policy for Overweight Loads

A permit is required for an overdimensional vehicle/equipment in need of repair/service. However the overweight fee for moving the load shall be waived and only the \$20.00 permit fee shall apply. Equipment must be moved from the jobsite to the repair/service shop and then after repairs or service has been completed the equipment must be moved back to the original origin of the load. Equipment may be moved from the owner shop/place of business to the repair/service facility and then be brought back to the owner's shop/place of business after repairs or service has been completed. The repair/service policy does not apply if the equipment does not return to its original origin. The Applicant must write on the permit that the equipment is going in for "repairs or service". The permit will also be valid for the return/reverse route and movement back to the original origin. After services/repairs have been completed the permitted must fax in the original approved/signed permit that was issued and write on the additional movement date that the load or equipment is moving back to the load's original origin.

7. Unloading Equipment

Unloading equipment on the street is prohibited unless deemed necessary by the City of Fargo. If the City of Fargo determines that unloading equipment on the street or that crossing a road with a piece of equipment is necessary permission may be obtained depending on circumstances determined to be valid by the City of Fargo. The City of Fargo will establish permit conditions of movement to ensure no damage is done to the street, curb, sidewalk or anything else within the path of travel of the equipment.

- a. The applicant must indicate the size and type of load, area to be crossed, time frame, proposed procedures for minimizing the impacts on the road, and a traffic control plan which includes provisions for signing, flagging, detours, etc.
- b. The City of Fargo shall determine what measures will have to be taken to protect the roadway. The measures may include the placing of planking, embankment, or other weight distributing techniques.
- c. The City of Fargo will issue the permit detailing the roadway protection measures and the traffic control.
- d. The Fargo Truck Regulatory Officer shall oversee the movement to ensure that all measures in the permit have been followed. The permittee shall schedule the movement according to an available time designated by the Truck Regulatory Officer.

8. **Definitions**

- a. **Non-Divisible Load** means a load which cannot be readily or reasonably dismantled and which is reduced to a minimum practical size and weight.
- b. **Divisible Load** means a load which can be readily reduced or loaded to a legal weight. Examples are materials such as gravel, sand, concrete, dirt, snow, etc.

9. Permit Cancellation or Modification Policy

When circumstances delay the movement of an overdimensional load and the permittee needs to cancel or change the movement dates of an overdimensional permit, the permittee must call the City of Fargo Engineering Department the last valid day of the approved 3 day movement dates on the overdimensional permit. Permittee will need the following to change the permit:

- a. A copy of the signed permit will need to be faxed in with the new dates changed and initialed by the permittee.
- b. Call and give an explanation why the permit needs to be cancelled, or the date changed.
- c. Any changes must be made by the last valid day of the approved 3 day movement date that the permit is valid for movement.
- d. If the load cannot be moved and it is after/before City of Fargo Engineering Office hours (7:45am-4:30pm Monday-Friday or Holidays), the permittee must then fax in the permit with a cover letter requesting the date change to the permit issued. The load dimensions and route must remain the same as approved on the permit to have a valid permitted movement.
- e. Failure to follow the above procedures listed under Permit Cancellation will result in the charge of the original permit issued and a requirement to obtain a second permit at full charge to move the load.
- f. There will be no cancellations or refunds once a permit has been issued for "10% Wintertime Weight Exemption Permits, "Monthly Overdimensional Permits", "Yearly Overwidth Permits", "Snow Removal Overdimensional Permits", or "Bridge Length Permits".

10. Situations Endangering the Public Health, Safety, or Welfare including but not limited to Flood, Fire, or Earthquake:

During a situation endangering the public health, safety, or welfare, there may be an urgent and immediate need for equipment and it is not in the public interest to require an overdimensional permit be in the vehicle prior to an overdimensional movement. Verbal approval to proceed without an overdimensional permit in the vehicle may be obtained from the Engineering Department or the Truck Regulatory Officer. After the movement is completed, a formal application for an overdimensional permit must be submitted to the Engineering Department within 24 hours.

11. Movement After Dark, After Hours or Weekends/Holidays

If repair of an underground utility or service needs immediate repair and an overdimensional vehicle has to move to repair the service, the person moving the load may call in the overdimensional movement and get verbal approval to move during permit office hours. If it is after permit office hours and the service or utility needs immediate repair, a pre-approved load for utility/service repair may be moved. The preapproved load must be the same truck, trailer and load that was pre-approved prior to movement. The pre-approved permit must be submitted prior to moving, but the load may be moved prior to receipt of the permit. The pre-approved overdimensional vehicle/load will be restricted to a maximum height, width, length and weight in order to qualify, and route restrictions may be imposed. A pre-approved permit is a permit that is filled out and sent into the City of Fargo for approval to use as an afterhours emergency load and then can be used throughout the calendar year for emergencies as per this section, it will be valid from January 1 to December 31 of a calendar year and must be re-approved every year. If special approval has been granted to move between sunset and sunrise it must be documented on the permit and section III.3b.1&2 shall apply to the movement.

- 23 - Revised 3-14-17

IV. PILOT CAR POLICY

PURPOSE:

To establish a policy in the interest of public highway safety to show when pilot cars are required and what the requirements of the pilot car are when moving oversized and overweight loads.

POLICY STATEMENT:

The City of Fargo will require pilot cars as part of the permit conditions for the movement of vehicles and loads of extraordinary size and weight on the City street system. The City of Fargo may require any overdimensional movement to have a pilot car, depending on the size and the route being used.

PROCEDURE:

A. The following factors determine when pilot cars are required

1. Overwidth Movements

```
14.5'-15.99' in width on single lane roads = 1 pilot car leading
16' in width or wider on single lane roads = 1 pilot car following and 1 pilot car leading, and an official police escort
16'-19.99' in width on multi-lane roads = 1 pilot car following
20' or wider on multi-lane roads = 1 pilot car following and 1 pilot car leading, and an official police escort
```

2. **Overlength Movements**

```
120'-149.99' in length = 1 pilot car following
150' or longer in length = 1 pilot car following and 1 pilot car leading
```

3. Overheight Movements

```
15'-15.99' in height = 1 pilot car leading
16' or higher in height = 1 pilot car following and 1 pilot car leading, and an official police escort.
```

4. Overweight Movements

- a. All movements of self-propelled earthmoving equipment that are roaded shall have one pilot car follow the movement on all streets because of a maximum speed limit of 20 miles per hour.
- b. The City of Fargo may require one or two pilot cars on any overdimensional movement that exceeds the normal permissible weights and dimensions depending on the route traveled or other extenuating circumstances.
- 5. Combinations of 1, 2, 3, or 4 may require one or more pilot cars and/or an official police escort as determined by the City Engineering Department.

B. **Pilot Car Requirements**

- 1. All vehicles used as pilot cars must meet the following requirements:
 - a. The vehicle must be a passenger vehicle or 2-axle truck only and must be operated as a single unit only.
 - b. The vehicle must meet requirements of Title 39 NDCC.
 - c. The driver of the pilot car must have a valid driver's license and be 18 years of age or older.
 - d. The vehicle must have on the highest part a sign that is minimum 12" in height and 60" in length with the words **OVERSIZE LOAD** on it. The sign shall be yellow with black lettering. The lettering shall not be less than 8" high and 1" brush strokes. In addition, flashing amber lights shall be mounted on both ends of the sign. In place of the two alternating lights, there can be one centrally mounted revolving amber light on the top of the sign.
 - e. There shall be radio communication between the pilot car(s) and the vehicle being escorted.
 - f. When not being used for an escort, all warning signs and lights must be completely covered or removed from the pilot car(s).
 - g. When a pilot car is required to precede or follow each movement, it shall maintain a distance that is reasonable, prudent and safe.
- 2. When operating in convoy, additional pilot cars will not be required.
- OSHA does not require radio communication when escorting self-propelled earthmoving equipment.

- 25 - Revised 3-14-17

V. 10 PERCENT WINTERTIME WEIGHT EXEMPTION PERMIT POLICY

PURPOSE:

To establish guidelines when 10 percent wintertime weight exemption permits can be issued. Permits will be valid between December 1 and March 7. If spring load restrictions become effective prior to March 7, the 10 percent wintertime weight exemption permit is cancelled.

POLICY STATEMENT:

The City may issue 10 percent wintertime weight exemption permits for divisible loads. The permits will contain restrictions as deemed necessary by the City of Fargo. Permits may be revoked by the City when the holder violates or abuses any privilege or conditions of a permit or provides any false information on the permit.

PROCEDURE:

A. Axle Weight Limitations

- 1. Tire weight may not exceed 605 pounds (550 lbs. plus 10 percent) per inch width of tire.
- 2. Single axle weight (4 tires) may not exceed 22,000 pounds (20,000 lbs. plus 10 percent) on truck routes and 19,800 on Class A routes (18,000 lbs. plus 10 percent).
- 3. Tandem axle weight (8 tires) may not exceed 37,400 pounds (34,000 lbs. plus 10 percent) on truck routes and 35,200 pounds on Class A routes (32,000 lbs. plus 10 percent), (not to exceed 18,700 lbs. per axle).
- 4. Triple axle weight (12 tires) may not exceed 52,800 pounds (48,000 lbs. plus 10 percent) on truck routes and 46,200 pounds on Class A routes (42,000 lbs. plus 10 percent), (not to exceed 18,700 lbs. per axle).

B. Gross Vehicle Weight Limitations

- 1. Gross vehicle weights are determined by the number of axles and measurement of the interior and exterior bridge lengths.
 - a. Example:
 - 1) 2 axles x 7 feet = 34,000 lbs. plus 10 percent = 37,400 lbs.
 - 2) 3 axles x 16 feet = 48,000 lbs. plus 10 percent = 52,800 lbs.
 - 3) 4 axles x 22 feet = 56,500 lbs. plus 10 percent = 62,150 lbs.

- 26 - Revised 3-14-17

C. Travel Restrictions

- 1. On some sections of City streets, it may be necessary to restrict axle weights to legal weights due to bridge structure limitations.
- 2. The 10 percent wintertime weight exemption permit is not valid during spring load restrictions.

D. Registration Requirement

- 1. The registered gross weight does not have to include the additional 10 percent. The vehicle must be registered for the maximum legal gross vehicle weight (GVW).
- 2. The GVW cannot exceed 105,500 pounds on the truck route system, and 88,000 pounds on Class A routes or 10% over the calculated weight of the vehicle's Bridge Length Formula.

E. Application Procedure

- 1. The fee for the 10 percent wintertime weight exemption permit is \$50 per vehicle per 30 day period. The permit can be obtained from the City Engineer's Office. The permit will show the permissible weights and must be in possession when exceeding legal weight limits.
- 2. The wintertime 10 percent weight exemption will pertain to GVW, the axle configurations, tire widths, interior bridge, and exterior bridge.

- 27 - Revised 3-14-17

VI. MONTHLY OVERDIMENSIONAL PERMIT POLICY

PURPOSE:

To allow for a permit that is valid for one month.

POLICY STATEMENT:

The City may issue a permit for eligible loads that is valid for one month. The permit will contain restrictions as deemed necessary by the City of Fargo. Permits may be revoked by the City when the holder violates or abuses any privilege or conditions of a permit or provides any false information on the permit. **Monthly permits will not be valid for overweight loads during spring load restrictions**. Excessive height, width, length and weight loads will not be able to obtain a monthly permit. Overdimensional loads are prohibited from entering construction/work zones within the City of Fargo right of way where lanes are delineated, narrowed or detoured by traffic cones, tubes or barrels, entering such a zone voids the permit. Special permission to enter such a zone may be granted in writing by a permit issuing official if it is determined that the load can travel safely thru the work zone or if the work zone is owned and maintained by the contractor or subcontractor.

PROCEDURE:

A. Monthly Permits

1. Fill out a permit the same as a single trip permit and list the "Movement From" and "Movement To" as **various locations**, list the "Via Street" used as **various streets**, list the "Date of Movement" as "Monthly xx/xx/20xx(start date)" the date you want to start the permit. The permit will be valid for one month after that the indicated start date.

B. **Application Procedure**

The fee for the monthly permit is a 10 factor multiplied by the cost of a single trip permit according to the Class A road use fee schedule. The permit can be obtained from the City Engineer's Office. The permit shall show the permittable weights and dimensions and must be in possession when exceeding legal weight limits and dimensions. The permit will only be valid for the equipment it is permitted for, and the truck and trailer used to haul the equipment shall be the same as listed on the permit. Any vehicle that is permitted and does not have a license plate number, shall have the VIN number written in the License Box area on the permit form.

a. Example:

A single trip permit that has a total fee of \$20.

The \$20 single trip permit is used and it is multiplied to a 10 factor.

 $$20 \times 10 = 200.00 for a permit that is valid for one month, except during spring weight restrictions. The cost for a monthly permit will vary depending on the cost of a single trip permit with the added overweight fees.

The monthly permit may be beneficial if the same piece of equipment is moved 10 times or more a month. The permittee will not have to submit a permit application 24 hours in advance of each movement. The monthly permit shall be subject to all regulations and restrictions in the Overdimensional Policy.

- 28 - Revised 3-14-17

C. Other

- 1. The maximum weight permittable is 10% over the legal axle weight or axle grouping weight for a Class A road.
 - a. Single Axle is permitted up to 19,800 pounds
 - b. Tandem Axle is permitted up to 35,200 pounds
 - c. Triple Axle is permitted up to 46,200 pounds
 - d. Quad Axle is permitted up to 61,600 pounds
 - e. 5 Axle group is permitted up to 77,000 pounds
- 2. The Fargo Park District, Public and State Schools, and the Railroad may be approved for monthly permits that exceed 10% over legal axle weights, if approved by Engineering.
- Monthly Permits are not valid for any overweight movement on asphalt roads when the atmospheric temperature is 85 degrees Fahrenheit or greater unless it meets all tire and bridge length calculations for axle groupings and is approved and noted on the permit form.
- 4. Maximum tolerances for height, width and length shall be as follows:
 - a. Maximum Height is 14'
 - b. Maximum Width is 13.99'
 - c. Maximum Length is 75'
- 5. All special mobile equipment shall be charged according to the Part XVI overweight fee schedule for all axle configurations and gross vehicle weight for a monthly permit.

- 29 - Revised 3-14-17

VII. YEARLY OVERWIDTH PERMIT POLICY

PURPOSE:

To allow for a permit that is valid for one calendar year for Overwidth only loads.

POLICY STATEMENT:

The City may issue an overwidth permit for eligible loads that is valid for one year. The permit will contain restrictions as deemed necessary by the City of Fargo. Permits may be revoked by the City when the holder violates or abuses any privilege or conditions of a permit or provides any false information on the permit. Overwidth loads that are 13.99' or less in width will be able to obtain a yearly overwidth permit.

PROCEDURE:

A. Yearly Overwidth Permits

1. Fill out a permit the same as a single trip permit and list the "Movement From" and "Movement To" as **various locations**, list the "Via Street" used as **various streets**, list the "Date of Movement" as "Overwidth 20<u>xx"</u>. The permit will be valid for one calendar year starting January 1, at 12:01am and expires December 31, at 11:59 pm.

B. **Application Procedure**

- 1. The fee for the yearly permit is \$500. The permit can be obtained from the City Engineer's Office. The permit shall show the permittable width and must be in possession when exceeding legal width. The permit will only be valid for the equipment it is permitted for, and the truck and trailer used to haul the equipment shall be the same as listed on the permit. Any vehicle that is permitted and does not have a license plate number, shall have the VIN number written in the License Box area on the permit form. Each Motor Vehicle shall be required to have a separate yearly permit and is allowed to pull different trailers with the power unit, all trailers pulled must be listed on the permit.
- 2. Requests for a Yearly Permit shall be made to the City of Fargo Engineering Department. An application for a Yearly permit shall be completed as follows:
 - a. Owner's name, address, telephone and fax number.
 - b. Vehicle description: year, make, model, serial number, license number, assigned unit number and registered gross vehicle weight.
 - c. Description of load, trailers and License numbers of trailers and overall width.

C. Other

- 1. The Yearly Permit will be issued to vehicles that qualify and are approved by the City of Fargo for moving overwidth loads that are 13.99' or less in width. The annual fee is \$500. The Yearly Permit expires December 31, 11:59 pm of the year it is issued. The yearly permit shall be subject to all regulations and restrictions in the Overdimensional Policy.
- 2. Overwidth loads are prohibited from entering construction/work zones within the City of Fargo right of way where lanes are delineated, narrowed or detoured by traffic cones, tubes or barrels, entering such a zone voids the permit. Special permission to enter such a zone may be granted in writing by a permit issuing official if it is determined that the load can travel safely thru the work zone or if the work zone is owned and maintained by the contractor or subcontractor.

- 30 - Revised 3-14-17

VIII. SNOW REMOVAL OVERDIMENSIONAL PERMIT POLICY

PURPOSE:

Policy is written due to the width of snow removal equipment and the inability to have a police escort or pilot cars when inclement weather exists while the snow removal equipment needs to move. This policy allows for a permit that is valid for snow removal. This permit shall be used only for the purpose of snow removal.

POLICY STATEMENT:

The City may issue a permit for the purpose of snow removal. Permits may be obtained for one month or one snow season. The permit will contain restrictions deemed necessary by the City of Fargo. Permits may be revoked by the City if the holder violates or abuses any privilege or condition of a permit, or provides any false information on the permit. Snow Removal permits will not be valid during spring load restrictions for any overweight equipment.

PROCEDURE:

A. Monthly Snow Removal Permits

Fill out a permit the same as a single trip permit and list the "Movement From" and "Movement To" as **various locations**, list the "Via Streets" used as **various streets**, list the "Date of Movement" as the date you want to start the permit, and it will be valid for one month after that date. Applicant must write on the permit that the equipment will be used for "snow removal". If the snow removal equipment doesn't have a license plate number, the permittee must list the VIN number in the License Box area on the permit form. The snow removal permit shall only be valid for the piece of equipment with the matching VIN or license number on the permit form. The fee for the Monthly Snow Removal Permit is \$50 plus any overweight fees. The permit can be obtained from the City Engineer's Office. The permit shall show the permissible weights and dimensions and shall be in possession when exceeding legal weight limits and dimensions. The permit will only be valid for the equipment it is permitted for on the permit. Snow Removal Permits can be obtained for any overdimensional equipment used for snow removal.

B. Seasonal Snow Removal Permits

Fill out a permit the same as a single trip permit and list the "Movement From" and "Movement To" as **various locations**, list the "Via Streets" used as **various streets**, list the "Date of Movement" as "Seasonal". Seasonal Snow Removal Permits shall be valid from October 1 thru April 30 of one snow season. Applicant must write on the permit that the equipment will be used for "snow removal". If the snow removal equipment doesn't have a license plate number, the permittee must list the VIN number in the License Box area on the permit form. The snow removal permit shall only be valid for the piece of equipment with the matching VIN or license number on the permit form. The fee for the Seasonal Snow Removal Permit is \$150. The permit can be obtained from the City Engineer's Office. The permit shall show the permitsible dimensions and shall be in possession when exceeding legal dimensions. The permit will only be valid for the equipment it is permitted for on the permit. Seasonal Snow Removal Permits can be obtained for any overwidth equipment used for snow removal that does not exceed legal weights.

- 31 - Revised 3-14-17

C. Snow Removal Permit Conditions

- 1. Any snow removal equipment that is over 10' in width will require a permit when moving, however they will not be required to have a pilot car. Any overdimensional snow removal equipment that is 16'-22' in overall width does not need to have an Official Police Escort or pilot car, provided that the equipment stays on multi-lane roads while traveling on City roads. The owner of the load will be able to use a single lane road to access the multi-lane road if the single lane road is the direct path from the owner's place of business to the multi-lane road. The snow removal equipment will also be able to use a single lane road if the road being traveled on is within 1000 feet of the multi-lane road and is the direct path to the area where snow removal is being performed.
- 2. If the snow removal equipment exceeds 15.99' in width and is traveling on a single lane road and doesn't meet the conditions set forth in the above C-1 condition then the snow removal permit will not be valid and the movement will be subject to approval by the City of Fargo and will need to obtain a single trip Overdimensional Permit, and will require either the removal of the wide bucket, (to be hauled separately on a trailer) or have an Official Police escort.
- 3. The equipment being moved shall not exceed a maximum speed limit of 25 MPH.
- 4. All movements shall be in compliance with the City of Fargo Overdimensional Policy.
- 5. Permits shall not be valid between the hours of 7:15am to 8:15am, 11:45am to 1:00pm, and 4:30pm to 5:45pm.
- 6. 18" x 18" red or fluorescent orange flags shall be mounted near the extremities of the blade or snow pusher, OVERSIZED LOAD signs will not be required on snow removal equipment when roaded.
- 7. When moving equipment between sunset and sunrise and when inclement weather exists, or visibility is poor vehicles must be equipped with the society of automotive engineers-approved class 1 lights and reflectors, in addition to those required in the North Dakota Century Code Chapter 39-21 and Code of Federal Regulations, Title 49, Part 393.
 - a. Clearance lights and clearance reflectors must be visible from the front, rear, and side, marking the outermost portion of the vehicle and load which extends beyond 8 feet 6 inches.
 - b. One rotating or two flashing amber lights shall be mounted above the cab and visible from the front and rear for a distance not less than five hundred feet under clear atmospheric conditions at night. If lights on the cab are not visible to the rear, additional flashing amber lights are required at the rear.
- 8. Snow Removal Permits for any overweight equipment are valid November 1 until spring load restrictions are in effect.
- 9. Snow removal equipment must yield to oncoming traffic.

- 32 - Revised 3-14-17

IX. MANUFACTURED HOUSING OVERDIMENSIONAL POLICY

A. Mobile Home Requirements

- 1. No travel if wind velocity exceeds 25 mph
- 2. When moving mobile homes and modular units with an overall width exceeding 14 feet 6 inches including overhang, lighted flashing amber lights will be required on the front of the towing vehicle and on the rear of the mobile home or modular unit. The lights must be at least 4 inches in diameter and be visible for a minimum of 500 feet.
- 3. Must have OVERSIZED LOAD signs at the front end or roof line of the towing vehicle and at the rear end of the mobile home or modular unit. Both signs must be at least 12 inches in height and 60 inches in length. The letters shall be at least 8 inches high with 1 inch brush stroke. The lettering shall be black on a yellow background. OVERSIZED LOAD sign and lights can be in front of the towing vehicle or on the top of the cab. All OVERSIZED LOAD signs must be covered or removed from the pilot car or towing unit when not being used.
- 4. Tow Vehicle Requirements
 - a. The tow vehicle must be equipped in accordance with the requirements and specifications of Parts 393 and 396 of 49CFR.
 - b. The tow vehicle shall be equipped with at least one drive axle with 4 tires.
 - c. The tow vehicle wheel base shall be a minimum of 100 inches.
 - d. The tow vehicle shall have 2 outside mirrors, one on each side, to reflect a rear view of 200 feet to the driver.
 - e. The tow vehicle must be a registered vehicle. Vehicles such as a farm tractor cannot be used as a tow vehicle.
 - f. The rated gross vehicle weight of the tow vehicle shall be based on the base width of the manufactured housing which it is transporting as follows:
 - MFG House Width 10 feet or less shall have a tow unit of a minimum 6,000 pounds GVW rating
 - 2. MFG House Width 10 to 12 feet shall have a tow unit of a minimum 8,000 pounds GVW
 - 3. MFG House Width greater than 12 feet shall have a tow unit of a minimum 9,000 pounds GVW

- 33 - Revised 3-14-17

X. WIND TOWER OVERDIMENSIONAL LOADS

PURPOSE:

To establish guidelines when Wind Towers are transported through the City of Fargo, to ensure the safety of the loads being moved and of the traveling motorists that are affected by the overdimensional movement.

POLICY STATEMENT:

Due to the combination of excessive height, width, length, and weight of wind tower loads traveling through the City of Fargo and the traffic they affect when moving, we have placed special conditions on transporting these loads on City roads. Wind tower loads are not able to obtain a monthly permit.

CONDITIONS AND RESTRICTIONS:

- 1. The City of Fargo will honor ND Highway Patrol Oversized-Overweight Permits for loads that are transported through the City of Fargo less than 16' in height, and will not require a City of Fargo Overdimensional Permit as long as the following conditions are met: A copy of the Transporter's ND Highway Patrol Oversized-Overweight Permit must be faxed to the City of Fargo 24 hours prior to entering Fargo City limits. Permits shall be faxed to 701-241-8101. All information on the ND Highway Patrol Oversized-Overweight Permit shall be accurate. Any inaccurate information listed on the ND Highway Patrol Oversized-Overweight Permit will void the North Dakota Highway Patrol permit. The City of Fargo will not honor a voided North Dakota Highway Patrol permit and the transported load and vehicle shall be subject to all fees, fines, penalties and/or processes contained in the Fargo Municipal Code including the City of Fargo extraordinary road fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code.
- 2. If the height of the load being transported is equal to or greater than **sixteen (16)**' a City of Fargo Overdimensional Permit is required. A police escort is required and a permit fee will apply even if a ND Highway Patrol Oversized-Overweight Permit is obtained.
- 3. If any axle groupings are equal to or exceed the weights listed below a-e, then a City of Fargo Overdimensional Permit is required. If an axle grouping or single axle has two tires, then check with the City of Fargo to see if a permit is needed based on your tire size. The following axle weights are based upon four tires per axle:
 - a. Single Axle weight 25,000 pounds
 - b. Tandem Axle Weight 42,000 pounds
 - c. Triple Axle Weight 54,000 pounds
 - d. Quad Axle Weight 64,000 pounds
 - e. Five Axle Weight 80,000 pounds
- 4. The load being transferred stays on Highway 10 (Main Avenue) and doesn't use any other streets within the city limits of Fargo. The route must be along Highway 10 (Main Avenue) to Interstate I-29. The load will require a City of Fargo Overdimensional Permit if any other route or streets are used within the city limits of Fargo or if the load has a destination inside the City of Fargo city limits.

- 34 - Revised 3-14-17

- 5. Notwithstanding the ND Highway Patrol Permit, wind tower loads may not be transported through the City of Fargo City limits between 7:15am to 8:15am, 11:45am to 1:00pm, and 4:30pm to 5:45pm. Any transportation of a wind tower load through the City of Fargo at these times will be a violation, and the load and vehicle shall be subject to all fees, fines, penalties and/or processes contained in the Fargo Municipal Code including the City of Fargo extraordinary road fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code.
- 6. The load being transported within the City of Fargo City Limits shall not exceed a maximum speed limit of 25 MPH and must have one pilot vehicle precede the load and one pilot vehicle follow the load being transported. Violation of any of these conditions/restrictions shall subject the load to the City of Fargo extraordinary road fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code.

ADDITIONAL CONDITIONS FOR WIND TOWER MOVEMENTS

- 1. If the load being transported through the City of Fargo is less than sixteen (16)' in height the transporter is not required to obtain a City of Fargo Overdimensional Permit. The load will only need a ND Highway Patrol Oversized-Overweight Permit. All non-compliance loads and vehicles shall be subject to all fees, fines, penalties and/or processes contained in the Fargo Municipal Code including the City of Fargo extraordinary road use fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code.
- 2. All loads being transported shall be in compliance with the **City of Fargo Overdimensional Policy** and the ND Highway Patrol Oversized and Overweight Policy. Any violation of the conditions and restrictions on wind tower loads items 1-5 and/or the **City of Fargo Overdimensional Policy** shall subject the load being transported to the City of Fargo extraordinary road use fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code. A copy of the City of Fargo Overdimensional Policy may be obtained by calling 701-241-1545 or by downloading it at: www.fargotruckroutes.com

If any of the above conditions and restrictions cannot be, or are not met, the transporter will be required to obtain a City of Fargo Overdimensional Permit. If an Overdimensional Permit is not obtained, the Transporter will be subject to all fees, fines, penalties and/or processes contained in the Fargo Municipal Code.

The applicant is responsible for the accuracy on the permit form. Any violation, abuse, or false information voids the permit, subjecting the load or movement to an Extraordinary Road Use Fee that will be assessed at the legal gross vehicle weight of the traveled roadway, the legal axle weight, or the tire width allowance, whichever is the greater violation.

It is our hope we all can work together and follow the restrictions imposed and get the wind tower loads moved through the City of Fargo safely, and with the least amount of impact on our traveling public.

- 35 - Revised 3-14-17

XI. BRIDGE LENGTH PERMIT POLICY

PURPOSE:

To establish guidelines when permits will be issued for legal size divisible load vehicles exceeding axle weight limitations allowed within the City of Fargo City limits.

POLICY STATEMENT:

The City may issue Bridge Length permits for the transportation of divisible loads. The permits will contain restrictions as deemed necessary by the City of Fargo. The City of Fargo has the authority to inspect the vehicles and permits may be revoked by the City when the holder violates or abuses any privilege or conditions of a permit or provides any false information on the permit.

PROCEDURE:

A. <u>Vehicle Requirements</u>

- 1. Vehicles must have a sufficient number of axles and bridge lengths for gross vehicle weights as shown on the Bridge Length Axle Weight Limitations Chart.
- 2. No tire shall exceed 550 pounds per inch width of tire.
- 3. On a vehicle equipped with more than 4 axles, additional axles shall be steerable, castering, or pivoting axles.
- 4. Vehicles manufactured after July 31, 2005, and with more than one variable load, suspension or lift axles shall have the lock or pressure regulator valve or both located outside the cab and inaccessible from the driver's compartment.
- 5. Tires and axle weights must be legal.
- 6. The maximum gross vehicle weight may not exceed 105,500 pounds on the non-restricted truck route system, and 80,000 pounds on the non-truck route system. All maximum gross vehicle weights are subject to the Bridge Length Formula. Maximum gross vehicle weight is either the maximum allowed as per designation of the roadway or the bridge length formula calculation, whichever is the least amount of weight allowed.
- 7. Vehicles must be registered for the gross weight of the vehicle and load.

B. <u>Travel Restrictions</u>

- 1. Permit must be in possession prior to starting any movement.
- 2. Bridge Length Permits are not valid during spring weight restrictions.
- 3. The Bridge Length Permit cannot be used in conjunction with the 10 percent wintertime weight exemption permit.


- 36 - Revised 3-14-17

C. <u>Application Procedure</u>

- 1. Requests for a Bridge Length Permit shall be made to the City of Fargo Engineering Department. An application for a bridge length permit shall be completed as follows:
 - a. Owner's name, address, telephone and fax number.
 - b. Vehicle description: year, make, model, serial number, license number, assigned unit number and registered gross vehicle weight.
 - c. Number of axles, axle spacing, number of tires and tire size.
 - d. Approved weight.
- 2. The Bridge Length Permit will be issued to vehicles that qualify and are approved by the City of Fargo for the axle weight exemption. The annual fee is \$500.
- 3. The annual Bridge Length Permit expires December 31 of the year it is issued. Bridge Length Permits will not be valid during spring weight restrictions.

Vehicles approved for the Bridge Length Permit are subject to inspection and weighing at the discretion of any peace officer or City designee. Alteration of equipment previously approved for exemption voids the Bridge Length Permit.

Sample Permit Truck that can be approved for Bridge Length Permit



<u>Steering Axle =</u> 16.7" tires = 18,370 lbs. or Manufacturer's rated tire weight, <u>whichever is less</u>. <u>Stinger Single Axle =</u> 11" tires = 12,100 lbs. or Manufacturer's rated tire weight, <u>whichever is less</u>. <u>5 Axle Grouping =</u> 57,500 lbs. with bridge permit, depends on the spacing of the individual axles within the 5 axle grouping – 48,000 lbs. Truck Route/42,000 lbs. Non-Truck Route without bridge permit.

Tire Width = No tire shall exceed 550 lbs. per inch width of tire.

<u>Maximum Gross Vehicle Weight = No Vehicle shall exceed 80,000 lbs on Class A and Class 1 roads and 105,500 lbs. on the Truck Route system. All maximum gross vehicle weights are subject to the Bridge Length Formula. Maximum gross vehicle weight is either the maximum allowed as per designation of the roadway or the bridge length formula calculation, whichever is the least amount of weight allowed.</u>

- 37 - Revised 3-14-17

LN			ximum weight in pound ance in feet between e		o or more axles of two or more consec	utive axles	
/ = 500(N-1 +12N+36) stance in feet between		N = Nun	nber of axles in group of	under consideration			
ne extremes of any groups of	MAXIMUM LOAD IN	POUNDS CARRIE	D ON ANY GROUP O	F 2 OR MORE CONS	ECUTIVE AXLES		
or more consecutive des							
2 Axles	3 Axles	4 Axles	5 Axles	6 Axles	7 Axles	8 Axles	9 Axles
4 34,000 5 34,000							
6 34,000	04.000						
7 34,000 8 38,000	34,000 42,000						
9 39,000	43,000						
10 40,000*	43,500						
11 12	44,500 45,000	50,000					
13	46,000	50,500	== 000				
14 15	46,500 47,500	51,500 52,000	57,000 57,500				
16	48,000	52,500	58,000				
17	49,000	53,500	58,500				
18 19	49,500 50,500	54,000 54,500	59,500 60,000				
20	51,000	55,500	60,500	66,000			
21 22	52,000 52,500	56,000 56,500	61,000 62,000	66,500 67,000			
23	53,500	57,500	62,500	68,000			
24	54,000	58,000	63,000	68,500	74,000		
25 26	55,000 55,500	58,500 59,500	63,500 64,500	69,000 69,500	74,500 75,000		
27	56,500	60,000	65,000	70,000	76,000	80,000	
28	57,000	60,500	65,500	71,000	76,500	82,000	
29 30	58,000 58,500	61,500 62,000	66,000 67,000	71,500 72,000	77,000 77,500	82,500 83,000	
31	59,500	62,500	67,500	72,500	78,000	84,000	80,0
32 33	60,000*	63,500 64,000	68,000 68,500	73,000 74,000	78,500 79,500	84,500 85,000	90,00 90,50
34		64,500	69,500	74,500	80,000	85,500	91,00
35		65,500	70,000	75,000	80,500	86,000	91,5
36 Two consecutive sets 37 carry a gross load of		66,000 66,500	70,500 71,000	75,500 76,000	81,000 81,500	86,500 87,000	92,50 93,0
38 provided the overall of	distance between the first	67,500	72,000	77,000	82,000	87,500	93,5
39 and last axles of sucl40 tandem axles is 36 fe		68,000 68,500	72,500 73,000	77,500 78,000	83,000 83,500	88,500 89,000	94,00 94,50
40 tandem axies is 50 te	et of more	69,500	73,500	78,500	84,000	89,500	95,00
42		70,000	74,500	79,000	84,500	90,000	95,50
43 44		70,500 71,500	75,000 75,500	80,000 80,500	85,000 85,500	90,500 91,000	96,0 97,0
45		72,000	76,000	81,000	86,500	91,500	97,50
46		72,500	77,000	81,500	87,000	92,500	98,0
47 48		73,500 74,000	77,500 78,000	82,000 83,000	87,500 88,000	93,000 93,500	98,50 99,0
49		74,500	78,500	83,500	88,500	94,000	99,5
50 51		75,500 76,000	79,500 80,000	84,000 84,500	89,000 90,000	94,500 95,000	100, 100,
52		76,500 76,500	80,500	85,000	90,500	95,500 95,500	100,
53		77,500	81,000	86,000	91,000	96,500	102,
54 55		78,000 78,500	82,000 82,500	86,500 87,000	91,500 92,000	97,000 97,500	102, 103,
56		79,500	83,000	87,500	92,500	98,000	103,
57 Gross weight limit on	residential streets	80,000*	83,500	88,000	93,500	98,500	104,
58 59			84,500 85,000	89,000 89,500	94,000 94,500	99,000 99,500	104, 105,
60			85,500	90,000	95,000	100,500	105,
61 62			86,000 87,000	90,500 91,000	95,500 96,000	101,000 101,500	
63			87,500	92,000	97,000	102,000	
64			88,000	92,500	97,500	102,500	
65 66			88,500 89,500	93,000 93,500	98,000 98,500	103,000 103,500	
67			90,000	94,000	99,000	104,500	
68 69			90,500 91,000	95,000 95,500	99,500	105,000 105,500*	
70			91,000 92,000	95,500 96,000	100,500 101,000	100,000	
71			92,500	96,500	101,500		
72 73			93,000 93,500	97,000 98,000	102,000 102,500		
74			94,500	98,500	103,000		
75			95,000	99,000	104,000		
76 77			95,500 96,000	99,500 100,000	104,500 105,000		
77 78			97,000	101,000	105,000		
79			97,500	101,500	,		
80 81			98,000 98,500	102,000 102,500			
81 82			99,500	103,000			
83			100,000*	104,000			
84 85				104,500 105,000		*Maxim	um Gross \

XII. IMPLEMENTS OF HUSBANDRY

PURPOSE:

To establish guidelines for movements of Overdimensional Implements of Husbandry within the City Limits of the City of Fargo, to ensure the safety of the traveling motorists that are affected by the overdimensional movement.

DEFINITIONS:

"Implement of Husbandry" means every vehicle designed and adapted exclusively for agricultural, horticultural, or livestock-raising operations or for lifting or carrying an implement of husbandry. Implements of Husbandry must be moved by resident farmers, ranchers, governmental entities, dealers or manufacturers between sunrise and sunset.

POLICY STATEMENT:

Due to the combination of excessive height and width, of some implements of husbandry traveling through the City of Fargo and the traffic they affect and safety hazards they impose when moving, we have placed special conditions on transporting or moving these loads on City roads.

PROCEDURE:

A. Implements of Husbandry Requirements

- 1. Any Implement of Husbandry that exceeds 14' 6" in width or 15' 6" in height will require a City of Fargo Overdimensional Permit to move within the City of Fargo. Permits must be in possession prior to starting any movement. They will contain such other restrictions as deemed necessary by the Permit Issuing Official.
 - a. Width Exemptions that do not require a permit:
 - 1. Implements of Husbandry 14'6"-20' in width on multi-lane roads
 - 2. Implements of Husbandry that exceed 14'6" on single lane roads but do not cross the center line or travel on the unpaved section of the roadway.
- 2. The City of Fargo has the authority to inspect the vehicles and permits may be revoked by the City when the holder violates or abuses any privilege or conditions of a permit or provides any false information on the permit.
- 3. The permit fee for all implements of husbandry is waived, unless a police escort is required in which case a \$20 fee will apply. If the overdimensional implement of husbandry is moved without the required police escort, the vehicle shall be subject to all fines and any extraordinary road use fees that apply.

- 39 - Revised 3-14-17

4. General Travel Restrictions

- a. Permits shall not be issued or valid for overdimensional movements between sunset and sunrise, unless approved by the City of Fargo and the vehicle is properly lighted as per general safety requirements.
- b. Permits shall follow all the restrictions set forth in section III-2 "General Travel Restrictions" in the overdimensional policy.

5. General Safety Requirements

- a. Overwidth movements that exceed 10' in width shall have a minimum 18" x 18" red or bright orange flags displayed on the traffic side front and rear.
- b. Must yield one-half of the roadway to other traffic at all times.
- c. Overwidth movements that are authorized to travel between sunset and sunrise shall meet the lighting requirements as provided for in the North Dakota Century Code Chapter 39-21 and section III.3b.1&2 shall apply to the movement.

XIII. GOVERNMENT ENTITY SNOW REMOVAL OVERSIZE AND OVERWEIGHT MOVEMENTS

PURPOSE:

To establish a policy for emergency movement authorization on the City of Fargo road system of oversized and overweight Government Entity snow removal equipment moved by the City of Fargo, surrounding Municipalities, Counties, States, Military and Government Entity Contracted.

DEFINITIONS:

"Government Entity Snow Removal Equipment" means every vehicle designed for and being actively used for snow and ice removal on public roadways by the City of Fargo and entities of the City of Fargo, surrounding Municipalities, Counties, States and entities of the State, Military, or Private Entities that have been contracted by the State, County, or Local Government. Equipment shall be those loaded with salt, sand, chemicals or a combination thereof, with or without a plow or blade attachment being used for the purpose of spreading the material on public roads that are or may become slick or icy or removal of snow on public roadways.

POLICY STATEMENT:

Due to the safety hazards that slick, icy or snow covered roads impose to the traveling public, the City of Fargo has established this policy in accordance with CFR Title 23 658.5, CFR Title 49 390.3.f.2 and North Dakota Highway Patrol Policy 9-18 Letter C Number 2.

PROCEDURE:

- A. Authority for partial exemption to the City of Fargo Overdimensional Policy has been granted by the City of Fargo for the following movements.
 - 1. Government Entity snow removal equipment and loads are not required to have Overdimensional Permits.
 - a. Government Entity snow removal equipment is exempt from time travel restrictions and is authorized to travel between sunset and sunrise.
 - b. Government Entity snow removal equipment is exempt from all general and safety travel restrictions, conditions, pilot car requirements, Police escorts, and Section VIII Snow Removal Overdimensional Permit Policy.
 - 2. Government Entity snow removal equipment shall be treated as a non-divisible load and shall stay within the max weight that can be permitted according to Section XVI.

- 41 - Revised 3-14-17

XIV. GOVERNMENT ENTITY OVERSIZE AND OVERWEIGHT MOVEMENTS

PURPOSE:

To establish a policy for movement authorization on the City of Fargo road system of oversized and overweight Government Entity equipment moved by the City of Fargo, surrounding Municipalities, Counties, States, and Military.

DEFINITIONS:

"Government Entity Equipment" means every vehicle and load used on public roads by the City of Fargo, surrounding Municipalities, Counties, States, and Military.

POLICY STATEMENT:

The City of Fargo has established this policy in accordance with CFR Title 49 390.3.f.2.

PROCEDURE:

- A. Authority for partial exemption to the City of Fargo Overdimensional Policy has been granted by the City of Fargo for the following movements.
 - 1. Government Entity equipment and loads are not required to have Overdimensional Permits.
 - a. Government Entity equipment is exempt from time travel restrictions and is authorized to travel between sunset and sunrise.
 - b. Government Entity equipment is exempt from all general and safety travel restrictions, conditions, pilot car requirements, Police escorts.
 - 2. Government Entity equipment shall stay within the legal weight allowed for a divisible load.

XV. EXTRAORDINARY ROAD USE FEE SCHEDULE

Any vehicle found in excess of the weight limitations imposed without a permit shall be charged a fee according to the extraordinary road use fee schedule as authorized by Article 8-09 of the City of Fargo Municipal Code, restated below.

POUNDS OVER LEGAL WEIGHT	OVERWEIGHT FEE
1-1,000	\$20.00
1,001-2,000	\$40.00
2,000-3,000	\$60.00
3,001-4,000	\$140.00
4,001-5,000	\$220.00
5,001-6,000	\$305.00
6,001-7,000	\$380.00
7,001-8,000	\$495.00
8,001-9,000	\$575.00
9,001-10,000	\$655.00
10,001-11,000	\$1,100.00
11,001-12,000	\$1,200.00
12,001-13,000	\$1,300.00
13,001-14,000	\$1,680.00
14,001-15,000	\$1,800.00
15,001-16,000	\$1,920.00
16,001-17,000	\$2,550.00
17,001-18,000	\$2,700.00
18,001-19,000	\$2,850.00
19,001-20,000	\$3,000.00
20,001-21,000	\$4,200.00
21,001-22,000	\$4,400.00
22,001-23,000	\$4,600.00
23,001-24,000	\$4,800.00
24,001-25,000	\$5,000.00
25,001-26,000	\$5,200.00
26,001-27,000	\$5,400.00
27,001-28,000	\$5,600.00
28,001-29,000	\$5,800.00
29,001-30,000	\$6,000.00

An additional fee of \$200.00 for every 1,000 pound increase over 30,000 pounds consistent with the formula above.

XVI. OVERWEIGHT PERMIT FEE SCHEDULE



CITY OF FARGO ENGINEERING DEPARTMENT 200 NORTH 3RD STREET FARGO ND 58102

> PHONE: 701-241-1545 FAX: 701-241-8101

WWW.FARGOTRUCKROUTES.COM

Fee schedule for weights exceeding restricted gross vehicle weight (Weights to be rounded off to the nearest ton)

GVW	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
66,000	-	-	-	\$5
68,000	-	-	-	\$10
70,000	-	-	-	\$15
72,000	-	-	-	\$20
74,000	-	-	-	\$25
76,000	-	-	-	\$30
78,000	-	-	-	\$35
80,000	-	-	-	\$40
82,000	-	-	-	\$45
84,000	-	-	-	\$50
86,000	-	-	-	\$55
88,000	-	-	_	\$60
90,000	-	-	_	\$65
92,000	-	_	\$5	\$70
94,000	_	-	\$10	\$75
96,000	_	-	\$15	\$80
98,000	-	-	\$20	\$85
100,000	_	-	\$25	\$90
102,000	_	-	\$30	\$95
104,000	_	-	\$35	\$100
106,000	-	<u> </u>	\$40	\$105
108,000	-	-	\$45	\$110
110,000	-	-	\$50	\$115
112,000	-	-	\$55	\$110 \$120
114,000	-		\$60	\$125
116,000	-		\$65	\$130
118,000			\$70	\$135
120,000	-	<u>-</u>	\$75	\$135 \$140
		<u>-</u>	\$80	\$140 \$145
122,000	-		\$85	
124,000 126,000	-	-	\$90	\$150 \$155
	-	-		\$155 \$160
128,000	-	-	\$95	\$160 \$465
130,000	-	-	\$100 \$105	\$165 \$170
132,000	-	-	\$105	\$170 \$175
134,000	-	-		
136,000	-	-	\$115 \$120	\$180 \$185
138,000	-	-	\$120 \$125	\$185 \$100
140,000	-	-	\$125	\$190 \$405
142,000	-	-	\$130 \$135	\$195 \$200
144,000	-	-	\$135	\$200
146,000	-	-	\$140	\$205
148,000	-	-	\$145	\$210
150,000	-	-	\$150	\$215
152,000	-	\$5	\$155	\$220
154,000	-	<u>\$10</u>	\$160	\$225
156,000	-	\$15	\$165	\$230
158,000	-	\$20	\$170	\$235
160,000	-	\$25	\$175	\$240

TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
-	\$30	\$180	\$245
-	\$35	\$185	\$250
-	\$40	\$190	\$255
-	\$45		\$260
-	\$50		\$265
-			\$270
-			\$275
-			\$280
-			\$285
-			\$290
-			\$295
-			\$300
-			\$305
-			\$310
-			\$315
-			\$320
-			\$325
-			\$330
-			\$335
-			\$340
_			\$350
_			\$360
_			\$370
_			\$380
-			\$390
			\$400
			\$410
_			\$420
_			\$430
_			\$440
-			\$450
-			\$460
-			\$470
-			\$480
-			\$490
-			\$500
-			\$510
-			\$520
-	*	*	\$530
-			\$540
-			\$550
-			\$560
-			\$570
-			\$580
_			\$590
		- \$30 - \$35 - \$40 - \$45 - \$50 - \$55 - \$60 - \$55 - \$66 - \$70 - \$75 - \$80 - \$85 - \$90 - \$85 - \$90 - \$95 - \$100 - \$115 - \$110 - \$115 - \$120 - \$125 - \$130 - \$140 - \$150 - \$140 - \$150 - \$140 - \$150 - \$140 - \$150 - \$140 - \$150 - \$140 - \$150 - \$140 - \$150 - \$160 - \$170 - \$180 - \$190 - \$200 - \$210 - \$220 - \$230 - \$240 - \$220 - \$220 - \$230 - \$240 - \$250 - \$260 - \$270 - \$280 - \$290 - \$330 - \$330 - \$330 - \$330 - \$330 - \$330 - \$330 - \$330	- \$30 \$180 - \$35 \$185 - \$40 \$190 - \$45 \$195 - \$50 \$200 - \$55 \$205 - \$55 \$205 - \$60 \$210 - \$65 \$215 - \$70 \$220 - \$75 \$225 - \$80 \$230 - \$85 \$225 - \$80 \$230 - \$85 \$225 - \$80 \$230 - \$85 \$225 - \$80 \$230 - \$85 \$225 - \$100 \$220 - \$95 \$245 - \$100 \$250 - \$110 \$260 - \$115 \$265 - \$110 \$266 - \$115 \$265 - \$110 \$260 - \$115 \$225 - \$110 \$260 - \$115 \$225 - \$120 \$270 - \$125 \$275 - \$130 \$280 - \$140 \$290 - \$150 \$300 - \$160 \$310 - \$170 \$320 - \$180 \$330 - \$190 \$340 - \$190 \$340 - \$220 \$370 - \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 \$200 - \$200 - \$200 - \$200 - \$200 - \$200 - \$200 - \$200 - \$200 - \$200 - \$2

Legal Gross Vehicle Weight

Non-Restricted Truck Route = 105,500 pounds Class A and Class 1 Route = 80,000 pounds Class 2 = 65,000 pounds

All maximum gross vehicle weights are subject to the Bridge Length Formula. Maximum gross vehicle weight is either the maximum allowed as per designation of the roadway or the bridge length formula calculation, whichever is the least amount of weight allowed.

Single Axle (1 Axle)

SINGLE AXLE	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT				
13,000	-	-	-	\$5
14,000	-	-	-	\$10
15,000	-	-	-	\$15
16,000	-	-	\$5	\$20
17,000	-	-	\$10	\$25
18,000	-	-	\$15	\$30
19,000	-	\$5	\$20	\$35
20,000	-	\$10	\$25	\$40
21,000	\$5	\$15	\$30	\$45
22,000	\$10	\$20	\$35	\$50
23,000	\$15	\$25	\$40	\$55
24,000	\$20	\$30	\$45	\$60
25,000	\$25	\$35	\$50	\$65
26,000	\$30	\$40	\$55	\$70
27,000	\$35	\$45	\$60	\$75
28,000	\$40	\$50	\$65	\$80
29,000	\$45	\$55	\$70	\$85
30,000*	\$50	\$60	\$75	\$90

Above weights must be approved by City of Fargo Engineering *30,000 pounds is the max weight that can be permitted on a single axle

Legal Single Axle Weights

Non-Restricted Truck Route = 20,000 pounds Class A Route = 18,000 pounds Class 1 Route = 15,000 pounds Class 2 Route = 12,000 pounds

Tandem Axle Weights (2 Axle)

TANDEM AXLE	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT				A -
25,000	-	-	-	\$5
26,000	-	-	-	\$10
27,000	-	-	-	\$15
28,000	-	-	-	\$20
29,000	-	-	-	\$25
30,000	-	-	-	\$30
31,000	-	-	\$5	\$35
32,000	_	-	\$10	\$40
33,000	-	\$5	\$15	\$45
34,000	-	\$10	\$20	\$50
35,000	\$5	\$15	\$25	\$55
36,000	\$10	\$20	\$30	\$60
37,000	\$15	\$25	\$35	\$65
38,000	\$20	\$30	\$40	\$70
39,000	\$25	\$35	\$45	\$75
40,000	\$30	\$40	\$50	\$80
41,000	\$35	\$45	\$55	\$85
42,000	\$40	\$50	\$60	\$90
43,000	\$45	\$55	\$65	\$95
44,000	\$50	\$60	\$70	\$100
45,000	\$55	\$65	\$75	\$105
46,000	\$60	\$70	\$80	\$110
47,000	\$65	\$75	\$85	\$115
48,000	\$70	\$80	\$90	\$120
49,000	\$75	\$85	\$95	\$125
50,000*	\$80	\$90	\$100	\$130

Above weights must be approved by City of Fargo Engineering *50,000 pounds is the max weight that can be permitted on a tandem axle

Legal Tandem Axle Weights

Non-Restricted Truck Route = 34,000 pounds Class A Route = 32,000 pounds

Class 1 Route = 30,000 pounds Class 2 Route = 24,000 pounds

Triple Axle Weights (3 Axle)

TRIPLE AXLE	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT	7			
31,000	-	-	-	\$5
32,000	-	-	-	\$10
33,000	-	-	-	\$15
34,000	-	-	-	\$20
35,000	-	-	-	\$25
36,000	-	-	-	\$30
37,000	-	-	\$5	\$35
38,000	-	-	\$10	\$40
39,000	-	-	\$15	\$45
40,000	-	-	\$20	\$50
41,000	-	-	\$25	\$55
42,000	-	-	\$30	\$60
43,000	-	\$5	\$35	\$65
44,000	-	\$10	\$40	\$70
45,000	-	\$15	\$45	\$75
46,000	-	\$20	\$50	\$80
47,000	-	\$25	\$55	\$85
48,000	-	\$30	\$60	\$90
49,000	\$5	\$35	\$65	\$95
50,000	\$10	\$40	\$70	\$100
51,000	\$15	\$45	\$75	\$105
52,000	\$20	\$50	\$80	\$110
53,000	\$25	\$55	\$85	\$115
54,000	\$30	\$60	\$90	\$120
55,000	\$35	\$65	\$95	\$125
56,000	\$40	\$70	\$100	\$130
57,000	\$45	\$75	\$105	\$135
58,000	\$50	\$80	\$110	\$140
59,000	\$55	\$85	\$115	\$145
60,000*	\$60	\$90	\$120	\$150

Above weights must be approved by City of Fargo Engineering *60,000 pounds is the max weight that can be permitted on a triple axle

Legal Triple Axle Weights

Non-Restricted Truck Route = 48,000 pounds

Class A Route = 42,000 pounds Class 1 Route = 36,000 pounds Class 2 Route = 30,000 pounds

Quadruple Axle Weights (4 Axle)

QUAD AXLE	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT				
41,000	-	-	-	\$5
42,000	-	-	-	\$10
43,000	-	-	-	\$15
44,000	-	-	-	\$20
45,000	-	-	-	\$25
46,000	-	-	-	\$30
47,000	-	-	-	\$35
48,000	-	-	-	\$40
49,000	-	-	\$5	\$45
50,000	-	-	\$10	\$50
51,000	-	-	\$15	\$55
52,000	-	-	\$20	\$60
53,000	-	-	\$25	\$65
54,000	-	-	\$30	\$70
55,000	-	-	\$35	\$75
56,000	-	-	\$40	\$80
57,000	-	\$5	\$45	\$85
58,000	-	\$10	\$50	\$90
59,000	-	\$15	\$55	\$95
60,000	-	\$20	\$60	\$100
61,000	\$5	\$25	\$65	\$105
62,000	\$10	\$30	\$70	\$110
63,000	\$15	\$35	\$75	\$115
64,000	\$20	\$40	\$80	\$120
65,000	\$25	\$45	\$85	\$125
66,000	\$30	\$50	\$90	\$130
67,000	\$35	\$55	\$95	\$135
68,000*	\$40	\$60	\$100	\$140

Above weights must be approved by City of Fargo Engineering *68,000 pounds is the max weight that can be permitted on a quadruple axle

Legal Quadruple Axle Weights

Non-Restricted Truck Route = 48,000 pounds

Class A Route = 42,000 pounds Class 1 Route = 36,000 pounds Class 2 Route = 30,000 pounds

5 Axle Weights (5 Axle)

5 AXLE	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT	7			
51,000	-	-	-	\$5
52,000	-	-	-	\$10
53,000	-	-	-	\$15
54,000	-	-	-	\$20
55,000	-	-	-	\$25
56,000	-	-	-	\$30
57,000	-	-	-	\$35
58,000	-	-	-	\$40
59,000	-	-	-	\$45
60,000	-	-	-	\$50
61,000	-	-	\$5	\$55
62,000	-	-	\$10	\$60
63,000	-	-	\$15	\$65
64,000	-	-	\$20	\$70
65,000	-	-	\$25	\$75
66,000	-	-	\$30	\$80
67,000	-	-	\$35	\$85
68,000	-	-	\$40	\$90
69,000	-	-	\$45	\$95
70,000	-	-	\$50	\$100
71,000	-	\$5	\$55	\$105
72,000	-	\$10	\$60	\$110
73,000	-	\$15	\$65	\$115
74,000	-	\$20	\$70	\$120
75,000	-	\$25	\$75	\$125
76,000	\$5	\$30	\$80	\$130
77,000	\$10	\$35	\$85	\$135
78,000	\$15	\$40	\$90	\$140
79,000	\$20	\$45	\$95	\$145
80,000	\$25	\$50	\$100	\$150
81,000	\$30	\$55	\$105	\$155
82,000	\$35	\$60	\$110	\$160
83,000	\$40	\$65	\$115	\$165
84,000	\$45	\$70	\$120	\$170
85,000*	\$50	\$75	\$125	\$175

Above weights must be approved by City of Fargo Engineering *85,000 pounds is the max weight that can be permitted on a 5 axle

Legal Five Axle Weights

Non-Restricted Truck Route = 48,000 pounds

Class A Route = 42,000 pounds Class 1 Route = 36,000 pounds Class 2 Route = 30,000 pounds

All axle weights are subject to the Bridge Length Formula or numbers of tires and size of tires. Maximum axle weight is either the maximum allowed as per designation of the roadway, the bridge length formula calculation, or number of tires and size of tires, whichever is the least amount of weight allowed.

Any axle grouping of 6 axles or more shall follow the Bridge length calculations and be subject to an Axle Fee of \$5 per 1,000 pounds over the calculation.

- 51 - Revised 3-14-17

Self-Propelled Earth Moving Equipment

	TRUCK ROUTE	CLASS A	CLASS 1	CLASS 2
WEIGHT				
28,000	-	-	-	\$5
29,000	-	-	-	\$10
30,000	-	-	-	\$15
31,000	-	-	-	\$20
32,000	-	-	\$5	\$25
33,000	-	-	\$10	\$30
34,000	-	-	\$15	\$35
35,000	-	\$5	\$20	\$40
36,000	-	\$10	\$25	\$45
37,000	\$5	\$15	\$30	\$50
38,000	\$10	\$20	\$35	\$55
39,000	\$15	\$25	\$40	\$60
40,000	\$20	\$30	\$45	\$65
41,000	\$25	\$35	\$50	\$70
42,000	\$30	\$40	\$55	\$75
43,000	\$35	\$45	\$60	\$80
44,000	\$40	\$50	\$65	\$85
45,000	\$45	\$55	\$70	\$90
46,000	\$50	\$60	\$75	\$95
47,000	\$55	\$65	\$80	\$100
48,000	\$60	\$70	\$85	\$105
49,000	\$65	\$75	\$90	\$110
50,000	\$70	\$80	\$95	\$115
51,000	\$75	\$85	\$100	\$120
52,000	\$80	\$90	\$105	\$125

Above weights must be approved by City of Fargo Engineering *52,000 pounds is the max weight that can be permitted on a single axle for self-propelled earth moving equipment.

Legal Single Axle Weights for Self-Propelled Earth Moving Equipment

Non-Restricted Truck Route = 36,000 pounds*

Class A Route = 34,000 pounds*

Class 1 Route = 31,000 pounds*

Class 2 Route = 28,000 pounds*

^{*}For all roads, the legal weight may be restricted by the tire width, only allowing for 550 pounds per inch width per tire.

Tracked Vehicle Weight Limits

Weights for non-metallic tracked implements or vehicles shall not exceed the weight limits listed in the following table. Track length is the distance of the **track in contact with the roadway** measured on **one side of the implement or vehicle**, rounded to the nearest foot. Tracks shall not have spurs, bars, angle irons, or cleats which will tend to mar or deface the surface.

TRACK LENGTH IN FEET	MAXIMUM WEIGHT IN POUNDS
4-7	34,000
8	42,000
9	42,500
10	45,000
11	46,000
12	47,000
13	48,500
14	49,500
15	50,500
16	51,500
17	54,000
18	55,000
19	56,000
20	57,000
21	58,000
22	59,000
23	60,000
24	61,000
25	62,000
26	63,000
27	64,000
28	65,000
29	66,000
30	67,000
31	68,000
32	69,000
33	70,000
34	71,000
35	72,000
36	73,000
37	74,000
38	75,000
39	76,000
40	77,000
41	78,000
42	79,000
43	80,000

A fee of \$5.00 for every 1,000 pound increase over the maximum weight in pounds consistent with the table above.